

FINAL REPORT

**STUDY OF POTENTIAL WATER
QUALITY IMPACTS ON MALIBU
CREEK AND LAGOON FROM
ON-SITE SEPTIC SYSTEMS**

Prepared for
City of Malibu
23555 Civic Center Way
Malibu, California 90265

June 1999

URS Greiner Woodward Clyde

2020 East First Street, Suite 400
Santa Ana, CA 92705
964P170

TABLE OF CONTENTS

Section 1	Introduction.....	1-1
	1.1 Site Background.....	1-1
	1.1.1 Previous Soil and Groundwater Studies	1-2
	1.2 Objectives of Study.....	1-3
	1.3 Approach to This Study	1-4
Section 2	Site Description	2-1
	2.1 Topography	2-1
	2.2 Geology.....	2-1
	2.3 Surface and Subsurface Facilities	2-1
	2.4 Waste-Water Disposal	2-2
Section 3	Study Methodology.....	3-1
	3.1 Drilling and Groundwater Monitoring Well Construction	3-1
	3.2 Groundwater Level Measurements	3-1
	3.3 Hydraulic Conductivity Tests	3-1
	3.4 Groundwater Sampling for Water Quality Indicators.....	3-2
	3.5 Sediment Sampling.....	3-3
	3.6 Bromide Tracer Tests.....	3-3
	3.7 Coliphage Seeding Test	3-4
Section 4	Results of Study.....	4-1
	4.1 Hydrogeologic Characteristics	4-1
	4.2 Groundwater Level	4-1
	4.3 Groundwater Chemistry (General Minerals)	4-2
	4.4 Anthropogenic Indicators In Sediment and Groundwater.....	4-3
	4.5 Bromide Tracer Tests.....	4-4
	4.6 Coliphage Seeding Test	4-4
Section 5	Discussion.....	5-1
	5.1 Indication of Anthropogenic Impacts.....	5-1
	5.1.1 Water Sampling	5-2
	5.1.2 Storm Drain Sediment Sampling	5-2
	5.2 Groundwater Flow System.....	5-4
	5.3 Microbial Transport Properties	5-5
Section 6	Conclusions	6-1
Section 7	References	7-1

TABLE OF CONTENTS

LIST OF TABLES

- 3-1 Summary of Drilling Activities
- 4-1 Summary of Slug Testing Results
- 4-2 Groundwater Level Data
- 4-3 General Minerals in Groundwater
- 4-4a Sterol Results – Soil Samples
- 4-4b Linear Alkylbenzene Results – Soil Samples
- 4-4c Results of Microbial Analysis – Soil Samples
- 4-5 Results of Microbial Analysis – Water Samples
- 5-1 Relative Bromide and Coliphage Concentrations

LIST OF FIGURES

- 1-1 Site Location
- 1-2 Site Plan
- 2-1 Geology Plan
- 4-1 Groundwater Level Data
- 4-2 Piper Tri-linear Diagram
- 4-3 Bromide Tracer Test Results
- 4-4 Coliphage Seeding Test Results
- 4-5 Coliphage Seeding Test Results (3-Day Plot)
- 4-6 Bromide Tracer and Coliphage Seeding at P-4
- 5-1 Cross Creek Plaza Study Area
- 5-2 Profile A-A' Cross Creek Plaza Study Area

LIST OF APPENDICES

- A Borehole Logs
- B Geotechnical Laboratory Test Data
- C Slug Test Data
- D Environmental Laboratory Data

This report has been prepared by URS Greiner Woodward Clyde (URSGWC) in accordance with the City of Malibu's request for proposals dated August 5, 1996, and Woodward-Clyde's proposal to the City dated September 13, 1996 and subsequently revised December 23, 1996.

1.1 SITE BACKGROUND

As shown on Figures 1-1 and 1-2, Malibu Lagoon is bounded by the Pacific Ocean and the Malibu Colony residential area to the south, a private golf course and the Cross Creek Plaza commercial center to the west, and the Sierra Retreat residential area and the historic Adamson House to the east. Malibu Creek flows into the lagoon from the north.

In the past, the lagoon is reported to have supported a significantly larger ecosystem than the one presently found (Manion and Dillingham, 1989). With modern development during the twentieth century, the ecological condition of the lagoon declined. During this time the lagoon and adjacent land were used as a general fill site, a Caltrans dumpsite, and an area of urban development. The area of the lagoon was expanded in 1983 when the California State Department of Parks and Recreation excavated three channels and established a mud-flat on the west side of the lagoon.

In 1996, an epidemiological study (Haile, R. W. et al., 1996) found that Malibu Surfrider Beach (the beach seaward from the lagoon) was consistently polluted with fecal microorganisms present in the lagoon water discharge. The lagoon discharges to the beach when the natural sand berm barrier breaches by overflow from the lagoon. One of many potential sources of lagoon contamination is the septic tanks and leachfields adjacent to the lagoon. This report presents the results of a study that was conducted by *URSGWC* to investigate the potential for fecal microorganisms from on-site septic systems to impact Malibu Creek and lagoon.

In order to evaluate subsurface migration of septic effluent, and the potential for the effluent to enter the lagoon, two study areas and three storm drain outfalls were investigated. Figure 1-2 shows the locations of the study areas and storm drain outfalls.

The study areas identified for this assignment are the Malibu Lagoon/Colony area and the Cross Creek Plaza commercial center. These study areas were chosen because they are adjacent to the lagoon and may contribute septic effluent that could impact the lagoon. For this investigation, monitoring wells were located in both study areas to evaluate the potential for effluent and pathogenic microbes from septic systems to reach the lagoon.

The Malibu Lagoon/Colony area is to the south and southwest of the lagoon (Figure 1-2). This area was chosen for study because of its close proximity to the lagoon and density of residential septic systems in the Colony. The Colony area currently contains ten houses on the north side of Malibu Colony Drive directly adjacent to the lagoon and twenty-six houses on the south side of Malibu Colony Drive directly adjacent to the ocean but near the lagoon. Houses in the Colony have individual on-site septic systems.

The Cross Creek Plaza commercial center (Plaza) is located on the northeast corner of Pacific Coast Highway and Cross Creek Road, and is northwest of Malibu Lagoon (Figure 1-2). The Plaza was chosen for study because large discharges of septic effluent are applied to the substratum near the lagoon at this location. The Plaza consists of numerous shops and restaurants and currently produces an average of approximately 7,000 gallons per day of septic effluent (Biosolutions, pers. com.). This flow is discharged to leachfields located under the Plaza's parking areas at the locations shown on Figure 1-2. The Plaza's leachfields typically consist of approximately 1.5 to 3 feet of 1.25-inch gravel fill, overlain by a 20-inch cover of site soils and topped with asphalt.

A portion of the Plaza's wastewater system was recently upgraded with the installation of a biomechanical pretreatment system including a dosing/surge tank and a centralized remote telemetry and control system. This portion of the wastewater treatment system consists of nine soakage areas divided into 7 zones. Approximately two-thirds of the Plaza's effluent passes through the upgraded system, and designated zones are micro-dosed on an hourly basis while inactive zones are rested. A typical wastewater loading scenario would be three active zones with a micro-dosing rate of about 68 gallons per hour. The remaining third of the Plaza's septic effluent is directed to the existing leachfields in the northwest of the Plaza complex.

Three storm drains that outfall to the lagoon were also investigated. Sediment and water samples at the outfalls were obtained and analyzed for evidence of septic effluent contamination. The three storm drain outfalls are identified in Figure 1-2.

1.1.1 Previous Soil and Groundwater Studies

Soil and groundwater conditions in and near the study areas have been investigated previously by other consultants for purposes other than those identified for this study. One of the previous investigations was conducted to characterize an underground gasoline spill in the Plaza study area and in the State Parks and Recreation property immediately south of Pacific Coast Highway (W.W. Irwin Inc., 1994). That investigation included drilling 9 shallow soil borings from 7 to

15 feet deep and 5 groundwater monitoring wells approximately 30 feet deep. The investigation found that soils in the Plaza area consist mostly of silty sand, sand, and clayey sand, and that the water table was about 6 to 7 feet below ground surface. Preferential gasoline migration was identified to the east, along a storm drain that discharges to the lagoon at the southeast corner of the Plaza. The groundwater gradient was not estimated from the monitoring wells.

Apex Environmental Recovery, Inc. (1993) conducted subsurface investigations in the soils beneath the Malibu Lagoon Bridge on Pacific Coast Highway. Those investigations were conducted to characterize chemical constituents in the soils prior to construction activities. Five borings were drilled on the west bank of the lagoon beneath the bridge, three hand auger borings were advanced to approximately 4 feet below ground surface, and two groundwater monitoring wells were installed to approximately 27 feet below ground surface. Soils were found to consist of silty sands to 17 feet below ground surface, underlain by silty gravel below that depth. The groundwater gradient was not estimated from the monitoring wells.

In 1990, Dames and Moore conducted a subsurface investigation for the property at 3728 Cross Creek Road. This property is approximately 500 feet north of the Plaza site. The study was conducted to characterize an underground hydrocarbon spill at the property. Four groundwater monitoring wells were installed to 20 feet below ground surface. Soils were found to consist of sands, silty sands, clayey sands, and sandy gravels. The groundwater gradient was estimated to be toward the south-southeast.

1.2 OBJECTIVES OF STUDY

The primary objective of the study is to assess the potential for transport of septic effluent, microorganisms, and nutrients, from on-site septic systems to the lagoon. Specifically, investigations have been undertaken to:

- Characterize soil types in the study areas
- Characterize the hydrology of the study areas
- Analyze sediment and groundwater samples to evaluate indication of septic discharge from storm drain outfalls to the lagoon
- Evaluate whether on-site septic systems are hydraulically connected to the lagoon, and
- Evaluate the potential for effluent from on-site septic systems to reach groundwater and be transported to the lagoon.

1.3 APPROACH TO THIS STUDY

In order to meet the study objectives, a review of available existing information relevant to the project has been completed, and, as needed, additional field investigations have been undertaken. Work conducted for this study followed the procedures outlined in Woodward-Clyde's Project Implementation Work Plan dated August 4, 1997.

Hydrogeologic characteristics of the site materials were investigated based on existing geologic data, and by drilling 11 boreholes at the locations identified on Figure 1-2. The drilling program is described in Section 3.1 of this report. Groundwater monitoring wells were installed in each borehole and subsequently used for groundwater sampling, aquifer testing, and groundwater transport studies.

In order to establish groundwater flow directions within the study area, groundwater levels in select wells were monitored over time with pressure transducers connected to data loggers. Groundwater level data were also obtained from measurements taken periodically with an electronic water level probe. Ocean tide data was retrieved from published NOAA tidal information for Santa Monica Bay.

Slug tests were performed on selected groundwater monitoring wells to provide an estimate of the hydraulic conductivity of the water bearing strata adjacent to the slotted screen of the wells. These data are used to estimate an average rate of groundwater flow in the test areas.

Groundwater and soil samples were collected and tested for indications of anthropogenic impacts. Samples of groundwater were collected from monitoring wells and analyzed for general minerals, nutrients, indicator bacteria, and for sterols and linear alkylbenzenes (LABs) which are indicators of fecal matter and industrial contamination, respectively. Sediment samples were collected at the outfalls of three storm drains that discharge to Malibu Lagoon. These soil samples were analyzed for sterols, LABs, and pathogens.

In order to more accurately estimate groundwater transport properties in the vicinity of the Cross Creek Plaza study area, and to estimate potential virus transport rates, concentrations, and viability over time, a bromide tracer test followed by a coliphage seeding test were undertaken. The bromide tracer test involved the instantaneous injection of a known concentration of sodium bromide solution into a groundwater monitoring well, and the subsequent monitoring of bromide levels in neighboring wells. A second bromide tracer test was conducted to assess the hydraulic connection between the tested leach field and monitoring wells in the Cross Creek Plaza study

area. For this test a known concentration of sodium bromide solution was added to the septic system with subsequent monitoring for bromide in neighboring wells.

The coliphage seeding test was conducted approximately one month following the bromide tracer test in order to reduce the impact of unnaturally high salt concentrations which may affect coliphage adsorption rates. The coliphage seeding test was conducted in conjunction with Dr. Charles Gerba from the University of Arizona Microbiology & Immunology and Soil, Water & Environmental Science Department (UOA). The seeding test involved flushing a suspension of the coliphage PRD-1 into the Cross Creek Plaza effluent field through a toilet, and metering the coliphage MS-2 into a groundwater monitoring well at the southeast corner of the southern leachfield at Cross Creek Plaza. Monitoring of neighboring wells was conducted to estimate virus transport and viability in the subsurface.

Field test methods are described in Section 3 of this report. The results of the field testing are presented in Section 4. Section 5 contains a discussion of the results as they pertain to the objectives of the study along with concluding remarks. References cited in this report are included in Section 6 and supporting documentation is included in the attached Appendices.

2.1 TOPOGRAPHY

The Cross Creek Plaza and Malibu Lagoon/Colony study areas are located within the broad low-lying (less than 25 feet above mean sea level; msl) alluvial plain at the mouth of Malibu Creek. Moderately steep to steep dissected slopes border the alluvial plain to the north, east, and west. Ground surface elevations within the study area are shown on Figure 1-2, and are about 5 to 11 feet above msl across most of the site. A re-created mud flat is present south of Pacific Coast Highway that includes several small islands connected by a causeway.

The Colony study area is bounded to the north by Malibu Lagoon and to the south by the Pacific Ocean. Colony property boundaries extend to within about 60 feet from the lagoon

2.2 GEOLOGY

Dibblee (1993) indicates that Holocene-age flood plain materials consisting of alluvial gravel, sand, and clay (see Figure 2-1) underlie the study area. The Malibu Creek channel is mapped as Holocene-aged gravel and sand. Holocene-age beach sands are shown along the current foreshore, extending inland to about the boundary of Malibu Colony.

Dibblee (1993) maps the moderately steep to steep ground surrounding the alluvial plain as a mix of Tertiary-aged igneous and sedimentary materials. Several, concealed, east-west striking faults are projected below the alluvial plain to the north of the Cross Creek Plaza Study Area. Geologic observations completed during this study are consistent with the geology described by Dibblee (1993).

2.3 SURFACE AND SUBSURFACE FACILITIES

The Cross Creek Plaza area consists of retail businesses surrounded by an asphalt-surfaced parking area. Minor unsurfaced and planted areas are also present within the Plaza complex. An on-site wastewater septic system with leachfields, as described in Section 1.1, is present below the parking area. Plaza leachfields are setback from the lagoon a distance of at least 200 feet.

Underground storm drains are present at the site. Known storm drain discharges to Malibu Lagoon are shown on Figure 1-2 (OF-1, OF-2 and OF-3). The storm drains are referenced by Warshall and Williams (1992) as the Civic Center Drain (OF-1), Cross Creek Road Drain (OF-2), and the Malibu Colony Drain (OF-3). The Civic Center Drain collects runoff from much of the flood plain and the steep hill slopes between the Civic Center and Malibu Canyon Road.

The Cross Creek Drain receives runoff from the area between the Civic Center drain, PCH, and the Lagoon. The Malibu Colony Drain originates at the corner of Webb Way and Malibu Road and directs flows eastward along the northern edge of Malibu Colony under the southern edge of the golf course. Other known underground services within the Plaza area include water, electric power, and cable television.

A gasoline service station is present at the southwest corner of the Plaza. The service station maintains underground fuel storage tanks (UST's) and an underground waste-oil tank.

The Malibu Colony study area consists of large single-family houses with associated garden and recreation areas. These houses have individual on-site wastewater septic systems with leachfields. Based on existing data, Colony leachfields are setback from the lagoon a distance of at least 75 feet.

2.4 WASTE-WATER DISPOSAL

The average daily wastewater flow from the Cross Creek Plaza is approximately 7,000 gallons (Biosolutions pers. com). Effluent is discharged to leachfields located below the Plaza's parking area (as shown on Figure 1-2).

No wastewater flow data is available for homes in the Malibu Lagoon/Colony study area, however, assuming a four person occupancy and an average daily wastewater flow of 50 to 82 gpd/person (Tchobanoglous, 1979) for each of the 36 houses in the Colony study area, an effluent discharge ranging from 7,200 to 11,800 gpd is estimated for the Colony area.

3.1 DRILLING AND GROUNDWATER MONITORING WELL CONSTRUCTION

As part of the investigation 11 hollow-stem auger boreholes were drilled to depths ranging from 12.5 to 16.5 feet below ground level (bgl). The locations of the boreholes are shown on Figure 1-2. A summary of the drilling program is shown in Table 3-1. Split-spoon Standard Penetration Tests (SPT's) were performed at approximately 5-foot intervals during drilling and soil samples representing the different soil types observed were retained for laboratory analysis. A URSGWC geologist logged the boreholes during drilling. Copies of the borehole logs are in Appendix A.

Groundwater monitoring wells were installed in each of the boreholes following drilling. Construction details for the wells are shown on the borehole logs. Following construction, each well was developed in order to clear the well and filter pack of fine-grained sediments. Development consisted of vigorously bailing the wells until the quantity of suspended sediment in the bailed water had significantly reduced and at least 3 well volumes of water had been removed. The wells were surveyed by a licensed land surveyor for vertical and horizontal position.

Select soil samples were analyzed in URSGWC's soils laboratory. Analyses were undertaken to estimate the particle size distribution in accordance with ASTM D 422-63, "Standard Test Method for Particle-Size Analysis of Soils" (ASTM 1996). Results of the particle size distribution analyses are included in Appendix B.

3.2 GROUNDWATER LEVEL MEASUREMENTS

Groundwater level measurements were taken in each of the wells with an electronic water level probe following well development, and at each well prior to groundwater sampling. In addition, data loggers with pressure transducers were used in wells P-1, P-2, and P-7 for long-term groundwater level monitoring. Water levels were recorded in these three wells at hourly intervals from August 31, 1998 to December 1, 1998.

3.3 HYDRAULIC CONDUCTIVITY TESTS

Slug tests were performed on wells P-2, P-3, P-4, P-5, and P-6 in order to estimate the hydraulic conductivity of the water-bearing strata adjacent to the slotted casing in these wells, and to evaluate the variability in hydraulic conductivity between well locations. Slug testing induces a relatively instantaneous stress within the water-bearing sediments, resulting in an increase or decrease in water level. The resulting return rate in water level to static conditions enables an

estimation of hydraulic conductivity. Because the induced hydraulic stress occurs within the sediment up to several feet from the well casing, at best, the resulting hydraulic parameters are specific to the zone(s) directly adjacent to the tested well.

Rising head slug tests were performed by inserting a solid mandrel (representing a "slug" or volume of water) into the well casing such that the mandrel was immersed in the water. Prior to inserting the slug into the well casing, the depth to static water level was measured using an electronic water level probe, and a pressure transducer was placed in the well near the bottom of the well casing and connected to an data logging device. Once the water level had recovered to near static water level, the data logging device was activated and the mandrel was quickly removed from the well casing to provide an "instantaneous" drop in water level. As the water level rose, the pressure transducer provided continuous water level measurements that were recorded with the data logger. Periodic measurements of the water level in the well casing were also made manually and recorded in a field log book. Once the water level had recovered to within 80% of the initial static water level, the test was terminated.

Analysis of the slug test data was made using the empirical relationships developed by Hvorslev (1951), that describe the water-level response in an unconfined aquifer resulting from the instantaneous injection or withdrawal of water from a well. This solution assumes that the unconfined aquifer has infinite extent, both horizontally and vertically, is homogeneous, the aquifer potentiometric surface is initially horizontal, a volume of water is instantaneously discharged from the well, and that steady-state conditions are present in the aquifer.

Hydraulic conductivity is also back calculated from apparent flow velocity measurements made during the bromide tracer and coliphage seeding tests. The slug test results are compared to hydraulic conductivity estimated by back calculating flow velocity measurements. These results are used to evaluate potential pathogen transport in groundwater.

3.4 GROUNDWATER SAMPLING FOR WATER QUALITY INDICATORS

During the course of this study groundwater samples were collected from each well, except well P-8, and analyzed for selected indicator bacteria, nutrients and general minerals. These samples were collected with either a dedicated PVC bailer, or a down-hole submersible pump that had been decontaminated prior to placement in the well. Before being sampled, the wells were purged by removing at least three well volumes of water from the well. Purged groundwater was monitored for pH, electrolytic conductivity, and temperature. Groundwater sampling and chain-of-custody procedures followed the protocols presented in Woodward-Clyde's Project

Implementation Work Plan (1997). Groundwater samples were also collected from wells P-2 through P-5, P-8 and P-9 during the bromide tracer and coliphage seeding tests as described below in Sections 3.6 and 3.7.

3.5 SEDIMENT SAMPLING

Sediment samples were collected from storm drain outfalls OF-1, OF-2, and OF-3 (Figure 1-2). Two sediment samples were collected at the mouth of each outfall. Samples were collected using a California-modified sampler and a trowel. One sediment sample collected from each of the outfalls was submitted to Dr. Indira Venkatesan at the University of California-Los Angeles (UCLA) for analyses of sterols and LABs using gas chromatography/mass spectrometry (gc/ms). The second sample was submitted to an accredited laboratory for microbial assays.

3.6 BROMIDE TRACER TESTS

URSGWC staff initiated a bromide tracer test on September 16, 1998. The test procedures can be summarized as follows:

Water level measurements and baseline water quality samples were collected from wells P-2, P-3, P-4, and P-5 prior to commencing the test. A submersible electric pump was installed near the base of well P-4 to induce a hydraulic gradient between wells P-2 and P-4, and to facilitate groundwater sampling. This gradient was intended to apply additional stress to the natural groundwater flow potential towards Malibu Lagoon. A pressure transducer was installed near the base of well P-2 and attached to a data logger in order to monitor the water level in this well.

At the start of the test, the pump in well P-4 and the data logger in well P-2 were activated and 4 liters of sodium bromide solution were added to well P-2. Groundwater samples were collected at specified times from wells P-2 using a dedicated PVC bailer and P-4 directly from the pump discharge until completion of the test (approximately 20 hours).

Groundwater level measurements were taken periodically in wells P-2, P-3, P-4, and P-5 during the test with an electronic water level probe. The rate of pumping at well P-4 was periodically measured with a bucket and stopwatch. At the completion of the test the submersible pump was disconnected and removed from well P-4.

Collected samples were chilled and dispatched to the analytical laboratory under standard URSGWC chain-of-custody procedures. Samples were analyzed at the laboratory for bromide concentration.

A second bromide tracer test was initiated on March 16, 1999 and continued to April 23, 1999. This test was conducted to assess the hydraulic connection between the Cross Creek Plaza wastewater disposal system, the test leach field and nearby monitoring well P-2.

At the start of the test, a known concentration of sodium bromide was added directly to the wastewater disposal system's septic tank. The system was operated in a manner that directed the flow from the septic tank to the test leach field. Groundwater samples were collected at specified times from wells P-2 and P-4 using a dedicated PVC bailer. Collected groundwater samples were chilled and delivered to the analytical laboratory for bromide analysis. Standard URSGWC chain-of-custody procedures were followed for the handling of the collected samples.

3.7 COLIPHAGE SEEDING TEST

The coliphage seeding test was conducted by URSGWC, in conjunction with Dr. Charles Gerba from UOA. The test was initiated on October 26, 1998 and continued until December 1, 1998. The test methodology was developed in conjunction with UOA.

Water level measurements and baseline water quality samples were collected from wells P-2, P-3, P-4, and P-5 prior to commencing the test. A peristaltic pump was installed near P-2 to enable controlled dosing of the coliphage MS-2 into this well. A submersible electric pump was installed near the base of well P-4 to induce a gradient between wells P-2 and P-4 as in the bromide tracer test. An initial concentration of 1×10^{14} MS-2 was added to 2 liters of water from well P-2.

At the start of the test, the pumps associated with wells P-2 and P-4 were activated and MS-2 dosing commenced at a rate of 10 ml/min. for 3 hours for a total addition of 1.8 liters. Five minutes after the commencement of the test, 1 liter of water with 2×10^{10} PRD-1 was flushed down a toilet in a restaurant located approximately 150 feet north of well P-2. Wastewater from this toilet was conveyed to the Cross Creek Plaza wastewater disposal system where it discharged to the test leach field.

Groundwater samples were collected at specified times from wells P-2, P-3, and P-5 using a dedicated PVC bailer and from P-4 at the pump discharge. A known volume of Tryptacase Soy

Broth, supplied by UOA, was added to the samples as a preservative. After approximately 51 hours, the pump in well P-4 was removed. Groundwater sampling continued using dedicated PVC bailers until December 1, 1998, at which time sampling ceased.

Collected samples were chilled and express mailed to UOA's analytical laboratory in accordance with standard URSGWC chain-of-custody procedures. Samples were received at UOA's laboratory in a chilled state within 72 hours of collection.

4.1 HYDROGEOLOGIC CHARACTERISTICS

Detailed logs for the boreholes are included in Appendix A. Field investigations indicate minor amounts of fill soil in the areas investigated up to depths of 2.5 feet bgl. Where observed, the fill soils typically consist of reworked sandy silt, silty sand, and sandy gravel underlying an asphalt surface. A layer of clayey or sandy silt is typically present across the study area to depths ranging from 4.0 to 9.0 feet bgl (the exception was location P-1 where silty and sandy gravel is present to a depth of 16.5 feet bgl). Beneath the silt layer, coarser grained silty sand and sandy gravel soils are present to the maximum depths drilled (between 12.5 and 16.5 feet bgl). Cobbles up to 4 inches in diameter were observed from this lower zone. These observations are consistent with the published data for the area (Dibble, 1993; Apex Environmental Recovery, Inc., 1993; W. W. Irwin Inc., 1994; and Dames and Moore, 1990).

Based on the recorded blow counts from SPT testing, the granular soils encountered range from loose to dense, and the cohesive soils range from medium stiff to very stiff (U.S. Bureau of Reclamation, 1960; see boring logs in Appendix A). Particle grain size analyses indicate the materials sampled range from silty sand to well graded sands with silt and gravel (Appendix B).

At depths of about 6 to 10 feet bgl, groundwater was observed during drilling and the soils became wet. Groundwater levels measured in the monitoring wells indicate piezometric levels approximately 5 to 7 feet bgl.

Rising-head slug tests indicate the saturated soils tested range in hydraulic conductivity from 0.6 feet/day to 4.1 feet/day. Results of the hydraulic conductivity tests are shown in Table 4-1. Slug test data are presented in Appendix C.

4.2 GROUNDWATER LEVEL

Groundwater levels measured in the monitoring wells installed during the course of this investigation indicate piezometric levels at the site in the order of 5 to 7 feet bgl (Table 4-2). Data from pressure transducers and data loggers installed in several of the wells during the study indicate a tidal influence on groundwater levels (Figure 4-1). Monitoring wells P-2 and P-7, located near the lagoon, show maximum water level amplitudes in the order of 0.5 feet during tidal cycles. The tidal influence appears somewhat attenuated at monitoring well P-1, located upgradient from the Cross Creek Plaza and further from the lagoon, with a maximum water level amplitude in the order of 0.25 feet. The water level data indicate peak tide levels above those recorded at P-2 and P-7, however, P-2 consistently maintains a higher water level than P-7

suggesting groundwater flow towards the lagoon is maintained throughout these periods. (Note: Well P-2 is screened below the edge of a Plaza leachfield, which is dosed at hourly intervals when on-line. Water level data collected at P-2 during this investigation did not show rises in water level due to periodic recharge of wastewater.) The amplitude of variations in observed water levels also corresponds to lunar phase with a maximum of 1.3 feet difference occurring between the highest high tide and the lowest low tide observed during the monitoring period (Figure 4-1).

Water level measurements from the wells installed in the Plaza study area indicate a groundwater gradient between wells P-1 and P-3 of 0.0015 ft/ft (i.e. 0.45 feet of drop per 100 yards) and between P-3 and P-6 of 0.0014 ft/ft (i.e. 0.42 feet of drop per 100 yards). Long-term monitoring of water levels indicates an overall groundwater gradient during high tides of 0.002 ft/ft (i.e. approximately 0.6 feet of drop per 100 yards) to the southeast. At low tides the gradient steepens slightly to 0.003 ft/ft (i.e. 0.9 feet of drop per 100 yards) and the flow direction shifts to the east-southeast.

Groundwater flow along the northern portion of the Colony study area, based on water level data at C-1 and C-2 and concurrent lagoon level, is to the north with a hydraulic gradient of about 0.017 ft/ft (i.e. 5.1 feet of drop per 100 yards). This hydraulic gradient is anticipated to steepen with ebbing tides and flatten with waxing tides.

4.3 GROUNDWATER CHEMISTRY (GENERAL MINERALS)

General mineral analyses from collected groundwater samples are summarized in Table 4-3 and shown on a Piper tri-linear diagram in Figure 4-2. Laboratory results reports are contained in Appendix D.

Groundwater from well C-1, located approximately 60 feet from Malibu Lagoon, has a relatively elevated sodium and chloride concentration compared to the other sampled groundwater. Groundwater from well P-1, located upgradient of the Plaza effluent disposal system and approximately 500 feet from the lagoon, is enriched in magnesium sulfate. Groundwater from well P-6, located near the storm drain identified as OF-2 and its tidal channel, contains slightly elevated sodium and chloride concentrations. In the remainder of the samples analyzed no cation/anion relationship was dominant.

4.4 ANTHROPOGENIC INDICATORS IN SEDIMENT AND GROUNDWATER

The laboratory report tables in Appendix D present the results of sediment samples collected at the storm drain outfalls. These samples were analyzed for sterols, LABs, and selected indicator bacteria. Seven (7) sterols were analyzed including coprostanol and epicoprostanol which are sterols derived from fecal matter. These results are shown on Table 4-4a. Coprostanol was detected in the sediment samples at concentrations ranging from 0.22 micrograms per gram ($\mu\text{g/g}$) to 0.4 $\mu\text{g/g}$ of dry soil with the highest concentration detected in the sample at the outfall of the Cross Creek Road Drain (OF-2). Epicoprostanol was detected in the sediment samples at concentrations ranging from trace levels to 0.18 $\mu\text{g/g}$ of dry soil. The highest concentration of epicoprostanol detected, was also in sample OF-2 from the Cross Creek Road Drain.

Twenty-one (21) LABs were analyzed and the results include the ratio of internal to external substituted LAB isomers (I/E Ratio). LAB concentrations ranged from not detected to 0.16 nanograms per gram (ng/g) of dry soil in the sample from the Civic Center Drain (OF-1). The I/E ratio for this sample is 0.0. The sample from the Cross Creek Road Drain Outfall (OF-2) contained LAB concentrations that ranged from not detected to 21.36 ng/g of dry soil with an I/E ratio of 0.85. Sample OF-3 from the Malibu Colony Drain outfall contained LAB concentrations that ranged from not detected to 5.45 ng/g of dry soil. The I/E ratio for this sample is 0.0. The LAB results are presented on Table 4-4b.

Microbial analyses were conducted to estimate enterococcus, fecal coliform, and total coliform concentrations. Enterococcus was detected in the sediment samples at concentrations ranging from 43 MPN/g (most probable number per gram) to 430 MPN/g with the sample from the Cross Creek Road Drain Outfall (OF-2) containing the highest concentration. Fecal coliform were below the detection limit in the sediment samples while total coliform ranged from 160 MPN/g to 11,000 MPN/g. The highest concentration of total coliform was detected in the sample from the Malibu Colony Drain Outfall (OF-3). Results of the microbial analyses are shown on Table 4-4c.

Groundwater samples collected from wells P-1, P-6, P-7, C-1 and C-2 were analyzed for microbial content and nutrient concentrations. Microbial analyses were conducted by VOC Analytical to estimate enterococcus, fecal coliform, and total coliform concentrations in the groundwater samples from these wells. Enterococcus ranged from less than 2 MPN/0.1L to greater than 1,600 MPN/0.1L in the water samples collected from wells and the lagoon. Fecal coliform detected in the water samples ranged from 23 MPN/0.1L to greater than 1,600 MPN/0.1L. Total coliform was detected in the water samples ranging from 80 MPN/0.1L to

greater than 1,600 MPN/0.1L. The lagoon sample collected near the Malibu Colony Drain Outfall (OF-3) contained the highest concentrations of the indicator bacteria. The water sample from well C-1 contained the highest concentrations of indicator bacteria for samples collected from monitoring wells. The results of the indicator bacteria testing are shown on Table 4-5.

Nutrient analyses were completed at UCLA for nitrate, total nitrogen and total phosphate. Detected nitrate concentrations ranged from not detected to 9.37 mg/L. Total nitrogen concentrations detected in the water samples ranged from 1.57 mg/L to 11.87 mg/L. Total phosphate concentrations detected in the water samples ranged from not detected to 0.77 mg/L. The higher concentrations of nitrate and total nitrogen were detected in the samples from well P-1. The highest concentration of total phosphate was detected in a sample from well C-2. The results of these analyses are presented on Table 4-3.

4.5 BROMIDE TRACER TESTS

The bromide breakthrough curve for well P-4 is shown in Figure 4-3. Well P-4 is 11.5 feet from well P-2. The breakthrough curve indicates peak bromide concentrations occurred at P-4 between 10 and 18 hours after injection (Figure 4-3; Table 4-6). A 4-percent bromide solution was injected in P-2 at the start of the test. The peak bromide concentration recorded in P-4 was 2 percent of the concentration at the point of injection at the start of the test. The bromide velocity between P-2 and P-4 induced by the pumping of well P-4 was between 15 and 28 feet/day.

A second bromide tracer test was conducted to test the hydraulic connection between the Cross Creek Plaza wastewater disposal system, the test leachfield, and well P-2. Sodium bromide was added to the system's septic tank on March 16, 1999 and water samples were collected from well P-2, one, three, and 38 days later. The samples collected one and three days following seeding of the septic tank contained bromide concentrations of 0.35 mg/L and 0.56 mg/L, respectively. These values are comparable with other background levels detected in the study area at different times and in different wells. The sample collected 38 days after the bromide test was initiated contained 10.3 mg/L bromide which is well above identified background levels.

4.6 COLIPHAGE SEEDING TEST

The coliphage seeding test allowed estimation of the coliphage transport rate between the injected well and adjacent wells. The well dosed with MS-2 coliphage (P-2) was first sampled approximately 16 hours after injection and reported an MS-2 count of 3×10^8 plaque-forming

units (pfu) which is 0.19 percent of the original injectate concentration (Figures 4-4 and 4-5; Table 4-6). Subsequent sampling showed a steady decline in MS-2 counts with a non-detect recorded 37 days following injection.

MS-2 breakthrough curves for wells P-3, P-4, and P-5 are shown in Figures 4-4, and 4-5. The highest MS-2 concentrations reported in the observation wells were detected at P-4 (the pumping well) which reported a peak concentration of 8×10^4 pfu approximately 22 hours after injection. This is 0.005 percent of the concentration injected at well P-2. At P-5, peak MS-2 concentrations were reported at about the same time (21 hours after injection) as P-4, although at much lower levels (maximum 476 pfu; less than 0.001 percent of the input value). The MS-2 peak breakthrough at P-3 was reported approximately 2 days and 4 hours after injection, with an MS-2 count of 2,000 pfu which is less than 0.001 percent of the initial input concentration at P-2. The maximum velocity for the coliphage induced in the groundwater between P-2 and P-4 for this test was approximately 13 feet/day.

A second peak of MS-2 coliphage was detected in wells P-3, P-4, and P-5, after the MS-2 concentration in each well had reduced to non-detectable levels (Figure 4-4). These secondary peaks occurred at varying times between 14 days 14 hours to 22 days 22 hours after the start of the test. The coliphage was not detected in wells P-8 and P-9 during or following the test.

Periodic water level measurements during the pumping phase of the coliphage seeding test indicate a maximum hydraulic gradient from P-2 to P-4 of 0.02 ft/ft (i.e. a drop of 0.25 feet over the 11.5-foot separation between the two wells). A reversal of gradients back towards P-2 occurred about 18 hours after the start of the test (Table 4-6). The reversal was apparently due to a higher than usual tide.

The coliphage PRD-1, which was dosed into a toilet feeding into the septic system, was not detected in any of the wells during the course of the investigation.

Assessment of the potential for transport of effluent from septic systems to the Malibu Lagoon area requires understanding of the following:

- Wastewater disposal practice
- Evidence for septic effluent in groundwater and sediments
- Groundwater flow characteristics
- Microbial transport properties

The results of this study are used in an attempt to address the question: What is the potential for septic effluent, microorganisms, and nutrients to migrate from on-site septic systems to the lagoon?

The two areas investigated for this study included the area between the northern edge of Malibu Colony and the lagoon and the Cross Creek Plaza commercial center. Soil and groundwater data were collected for the Colony/lagoon area and site specific soil, groundwater and transport data were obtained for the Plaza area. Estimates of wastewater from on-site septic systems in the Colony area may be as high as 11,800 gpd. The closest Colony leachfield to the lagoon is separated by a distance of at least 75 feet. The Plaza discharges up to 7,000 gpd of wastewater from its on-site septic system. Recent retrofitting of the septic system utilizes micro-dosing of wastewater to the leachfields to limit mounding in the fields and to maintain the efficacy of the underlying unsaturated soils. The closest Plaza leachfield to the lagoon is separated by a distance of at least 200 feet.

5.1 INDICATION OF ANTHROPOGENIC IMPACTS

Anthropogenic impacts observed in Malibu Lagoon could be derived from many sources throughout the Malibu Creek drainage (Manion and Dillingham, 1989). This study evaluates impacts using several indicator methods. Results of selected bacteria analyses are used to indicate the presence of human or animal fecal contamination. Nutrient concentrations are used as indicators of water quality and organic pollution. Sterol analyses provide an indication of human and animal fecal contamination, and LAB results indicate a source of wastewater contamination. While any one of these indicators is not able to pin-point the source of an impact, collectively, they can be used to narrow possible sources.

5.1.1 Water Sampling

Water samples collected from the lagoon area south of Pacific Coast Highway, contained indicator bacteria at levels greater than samples from north of Pacific Coast Highway. The highest concentration of indicator bacteria detected was in the sample collected from the lagoon at OF-3. This sample contained enterococcus, fecal coliform, and total coliform concentrations all greater than 1,600 MPN/0.1L. These concentrations of indicator bacteria exceed the standards set by the state and federal governments for these coliforms.

Total coliform may undergo aftergrowth in nutrient-enriched water. Coupled with fecal coliform, these two indicators can be used to differentiate between fecal and non-fecal contamination (Bashar et al., 1988). Groundwater samples from wells P-1 and C-2 indicate coliform contributions are from non-fecal sources in addition to coliforms derived from fecal matter at these locations.

Nutrient concentrations detected in groundwater samples collected from wells indicate the presence of nitrate-nitrogen and total nitrogen with the highest concentration in the sample from well P-1. The detected concentrations of nitrate-nitrogen are at or below the state and federal standards for this compound (45 mg/L and 10 mg/L, respectively).

5.1.2 Storm Drain Sediment Sampling

Detected levels of indicator bacteria in sediment samples collected at the three storm drain outlets, indicate concentrations of enterococcus ranging from 43 to 430 MPN/g, fecal coliform less than 10 MPN/g, and total coliform ranging from 160 to 11,000 MPN/g. These results suggest that the coliforms are only partially derived from fecal sources as indicated by the detected enterococcus concentrations. The absence of fecal coliforms in the sediment samples may be due to early die-off, and are not an absolute indication for the lack of fecal sources. The highest concentration of total coliform was from the outfall of the Malibu Colony Drain, OF-3, south of Pacific Coast Highway, which is consistent with the findings from the water analyses. Indicator bacteria concentrations in the sediment sample from the outfall of the Civic Center Drain, OF-1, which is near the inlet to the lagoon, is less than a factor of 10 compared to results for OF-2 and OF-3. This result indicates a preferential source for the indicator bacteria that is downstream from OF-1. State or federal numerical standards for enterococcus or coliforms in soil were not identified.

Research conducted by UCLA, and others, have shown that human fecal matter can be detected with a high degree of confidence by measuring the levels of the sterol, coprostanol (Venkatesan, 1994). The breakdown of cholesterol, which is present in all animals, yields several compounds. The sediment sampling results provide data on the concentrations of two of these compounds, coprostanol and epicoprostanol, as well as other sterols. Coprostanol is enriched about 10 to 100-fold in human feces compared to feces from animals. Outside the body, coprostanol has been found to degrade to coprostanone in a one-to-one ratio. In other words, one molecule of coprostanol yields one molecule of coprostanone. Therefore, the combination of coprostanol and coprostanone (correcting for molecular weight differences) yields the total quantity of coprostanol initially present in the excreted fecal matter. Coprostanol and epicoprostanol are present in the fecal matter of all mammals (Venkatesan, 1994). Ferezou et al, analyzed 133 specimen of human feces and found some to have the ratio of coprostanol to epicoprostanol vary from 21 to 25. Venkatesan found in her study, that this ratio may vary from over 60 for humans and cats to less than about 15 for other animal sources.

Coprostanol was detected in the three storm drain sediment samples with concentrations ranging from 0.22 to 0.4 $\mu\text{g}/\text{gm}$. Epicoprostanol was detected in the sediment samples at concentrations ranging from trace levels to 0.18 $\mu\text{g}/\text{gm}$. Coprostanone was not detected in the collected sediment samples. The ratio of detected coprostanol to epicoprostanol ranges from 1.6 to about 22 (assuming trace levels are equivalent to 0.01 $\mu\text{g}/\text{gm}$). The concentrations of coprostanol and epicoprostanol detected in the outfall sediment samples are high suggesting the presence of fecal sterols. The sediment sample OF-2 from the Cross Creek Road storm drain outfall contains the highest concentration of coprostanol and epicoprostanol suggesting that this storm drain has the highest relative inputs of fecal matter. The concentrations and ratios of the sterols in the sediment samples suggest the sources for the fecal matter are probably from both human and animals. Additional sampling, though, would be necessary to confirm this conclusion.

LABs are a class of anionic surfactant compounds (i.e. cleaning detergent) that, when detected in the environment, provide an indication of wastewater discharges containing detergents. The LABs with external substituted isomers (e.g., a methyl group attached at the 2nd, 3rd, or 4th position in the molecule's chain of carbon atoms) are more readily biodegraded than the internal substituted isomers (at the 5th and 6th position). The ratio of the internal to external isomers provides an indication of the rate of biodegradation with values less than 1 indicating no or little degradation. Ratios greater than 1 indicate the compounds are degraded.

The LABs detected in sediment samples collected at the Civic Center and Malibu Colony storm drain outfalls OF-1 and OF-3 ranged from not detected to 0.16 ng/g. The LABs detected in these two samples were all external isomers. The LABs detected in the sediment sample collected at the Cross Creek Road storm drain outfall OF-2, ranged from not detected to 21.36 ng/g. The LABs detected in all three samples are enriched in external isomers (I/E ratios of 0 and 0.85). These results indicate that discharges of anionic surfactant compounds detected in the three samples tested have undergone little, if any, biodegradation. Therefore, the results suggest that there are ongoing contributions of these compounds from the storm drains to the creek and lagoon sediments, with the greatest mass of these compounds occurring at the Cross Creek Road storm drain outfall, OF-2.

Possible septic overflows to drains or movement of septic system discharges to storm drains through shallow soils are a concern as the effluent may reach and contaminate the lagoon. The results of the water and sediment sampling indicates impacts from fecal matter and wastewater discharges at the storm drain outfalls. The results, however, do not specifically identify on-site septic systems as a source.

5.2 GROUNDWATER FLOW SYSTEM

The drilling investigation results indicate the principal water-bearing unit at the site is composed of silty sand to sandy gravel. The upper surface of this coarse-grained water-bearing unit ranges from ground surface to 9.0 feet bgl and extends to below the base of the borings drilled for this study. Groundwater flow is likely to occur preferentially within this unit under unconfined to semi-confined conditions.

Based on water level elevation data, a shallow groundwater gradient ranging from 0.002 ft/ft to the southeast, to 0.003 ft/ft to the east-southeast, is estimated across the area northwest of the lagoon. The gradient is influenced by tides and steepens during low tides. The gradients indicate that groundwater flow and solute/microbe transport would be from the Plaza towards the lagoon at an estimated rate ranging from 1 to 4 feet per day. However, a reversal in gradient occurs during high tides that likely causes water from the lagoon to recharge adjacent sediments. Analysis of tidal and groundwater level charts indicates that the groundwater flow direction is reversed up to a distance of 100 feet inland from the lagoon, and possibly more during high spring tides.

Mixing of upgradient groundwater with brackish water from the lagoon is also indicated in the general mineral analyses for wells within 200 feet of the lagoon. Groundwater samples from

wells P-6 and P-7, located near the northern edge of the lagoon, contain a general mineral assemblage that is enriched in sodium and chloride. Well P-1, at the upgradient margin of the study area, contains general minerals that are more representative of sediments derived from bedrock in the area. Within the zone where lagoon-influenced groundwater appears to mix with upgradient groundwater, the general minerals appear to be an equally distributed mixture of anions and cations. Water from this mixed zone also contains carbonate and bicarbonate levels above the concentrations detected in the upgradient well and these elevated parameters may, in part, be from wastewater discharges.

Groundwater flow along the northern portion of the Colony study area south of the lagoon, based on water level data at wells C-1, C-2, and in the lagoon, is to the north with a hydraulic gradient of about 0.017 ft/ft. Considering the nature of the sediments encountered in C-1 and C-2, and the presence of tidal influences to the north and south of the Colony area, an east-west trending groundwater mound is likely present beneath the Malibu Lagoon/Colony study area. The hydraulic gradients across this part of the study area are also likely to flatten and steepen in response to tidal influence with flow rates in excess of 10 feet per day possible. Additional well points and groundwater level monitoring would be required, however, to confirm a mound and its orientation with time.

Under normal lagoon levels, approximately 1.5 to 4 feet of separation exists between the groundwater surface and the base of the Cross Creek Plaza leachfields. In the Colony, the separation between the groundwater surface and the base of the leachfields is not known, however, these fields are reportedly inundated when the lagoon level rises over 3.5 feet above msl (Gold et al., 1992).

5.3 MICROBIAL TRANSPORT PROPERTIES

Processes that control microbial migration in the subsurface include inactivation or dying off, advection, dispersion, adsorption and desorption, and filtration. These processes are both physical and chemical in nature and are important elements in evaluating microbial transport (Mathess et al., 1988; and Bales et al., 1995). The use of chemical tracers and microbial indicators provides a means for evaluating the transport properties of microbes in the subsurface.

For this study, bromide was used as a conservative tracer (i.e. bromide does not react with the saturated sediments) and was used to evaluate advection and dispersion during groundwater transport. Coliphages, which are non-pathogenic viruses that infect coliform bacteria, have been proposed and used reliably by others as indicators of enteric virus behavior in the subsurface

(Kott et al., 1974; IAWPRC, 1991; U.S. EPA, 1994; Wentsel et al., 1982; DeBorde et al., 1998; and Bales et al., 1995). For this study, the coliphages PRD-1 and MS-2 were used to evaluate filtration efficacy of unsaturated and saturated sediments beneath the leachfields in the Cross Creek Plaza study area (Figure 5-1), estimate virus transport rates, and assess attenuation relative to bromide (reactive versus non-reactive solutes).

The coliphage PRD-1 was flushed down a toilet that drains to the test leachfield within the Cross Creek Plaza study area (Figure 5-2). PRD-1 was not detected in groundwater samples collected from wells located either directly beneath the leachfield or downgradient of the leachfield. During a similar test using a bromide tracer, the bromide was detected in the groundwater sample from the well screened beneath the leachfield. This suggests that unsaturated soils beneath the leachfield (approximately 2 feet of separation existed between the bottom of the leachfield and groundwater during the test) are effective at removing microbes from wastewater through filtering and adsorption.

During high spring tides, or during periods when the lagoon is sealed and full, the subsequent rise in groundwater level would diminish the effectiveness of the unsaturated sediments to remove microbes. The diminished effectiveness would result from possible inundation of the leachfield, whereby, septic effluent would move directly into the groundwater or by a decrease in the thickness of the remaining unsaturated sediment such that the wastewater is not sufficiently filtered of microbes prior to reaching the groundwater. It should be noted that during the test period, the lagoon was kept open by the heavy flows down Malibu Creek and groundwater levels fluctuated in direct response to tidal influence.

Hydraulic conductivity provides a measure for assessing groundwater movement through sediments. This parameter has been estimated from slug test results for the Cross Creek Plaza study area and bromide tracer and coliphage seeding test results have been used to directly estimate groundwater flow and solute/microbe transport velocities. The measured groundwater flow velocities are used to calculate an estimated hydraulic conductivity using its relationship with seepage velocity:

$$v = K \cdot I/n$$

where;

v is seepage velocity (length per time [L/t])

K is hydraulic conductivity [L/t]

I is groundwater gradient [L/L], and
 n is effective sediment porosity [dimensionless].

Hydraulic conductivity estimates for the Cross Creek Plaza study area ranged from approximately 200 to 400 feet/day using this approach. These results are considerably higher than estimates completed using the slug test approach.

Slug test results represent an average or "bulk" hydraulic conductivity measured over a volume of soil that is within several feet of the screened interval of the tested well. Using slug test results to estimate the rate of groundwater movement in heterogeneous sediments often underestimate observed groundwater velocities. Previous studies investigating groundwater flow in heterogeneous sediments have found that methods that result in a "bulk" hydraulic conductivity value tend to average out or diminish the significance that thin, highly permeable layers have on groundwater flow and solute transport rates (Thorbjarnarson, et al., 1997; Pickens and Grisak, 1981; Mas-Pla, et al., 1992; and Young, 1995). Flow velocities resulting from bromide tracer and coliphage seeding tests, however, tend to reflect groundwater movement through the more permeable saturated strata screened by the test wells.

Bromide and MS-2 were dosed directly to groundwater in P-2 to evaluate pathogen transport potential when high groundwater levels inundate leachfields. Water was pumped from P-4 during the test to develop a hydraulic gradient from the leachfield comparable to the groundwater flow condition that develops when the sand berm breaches and the lagoon rapidly drains to the ocean.

The results indicate initial coliphage breakthrough at P-4 is comparable to that reported for the bromide tracer test, considering the sampling frequency and hydraulic gradients (Figure 4-6). The coliphage concentration curves show slower die-off following breakthrough compared to the bromide tracer test. The persistence of higher MS-2 levels in the well after the main mass has passed the well indicates that the coliphage is being adsorbed and desorbed to the sediment through which it is passing. This process tends to spread out the mass of the solute or microbes in groundwater, causing the "tailing effect" that is observed during monitoring of the well.

A greater relative concentration of bromide was detected in the downgradient monitoring well P-4 than for the coliphage MS-2, as shown in Figure 4-6. The lower relative concentration of coliphage detected, indicates that the coliphage is likely to have been attenuated as it moves with groundwater through the sediment, whereas, bromide is not. The continued attenuation of the

Secondary coliphage peaks occur in each monitoring well after at least one non-detect sample had been collected. This could be due to a reversal in the groundwater gradient between P-2 and the adjacent monitoring wells, resulting in remobilizing the coliphage back toward the monitoring wells. However, apart from a water level recorded in P-4 that was lower than for the nearby monitoring wells during this time period, there is no direct evidence to support this and the cause of the secondary peaks is not known.

The flow rate induced by the pumping for the bromide tracer and coliphage seeding tests is estimated to be between 13 and 28 feet/day. Based on velocities obtained from the bromide tracer and coliphage seeding tests and measured natural gradients, the groundwater flow rate in the Cross Creek Plaza Study area under "normal conditions" is estimated between 1 and 4 feet/day. During periods when the lagoon is full, and the sand berm breeches causing rapid fall in lagoon level, a steep groundwater gradient up to 0.03 ft/ft (i.e., a drop of 6 feet between the Cross Creek Plaza area test field and the lagoon) likely exists towards the lagoon. This would induce estimated groundwater flow rates up to 20 to 40 feet per day toward the lagoon. This increased flow rate would result in increased stress within the saturated zone, causing an increase in groundwater transport, and potentially remobilizing microbes that were otherwise inactivated.

The following conclusions from the study of potential water quality impacts on Malibu Creek and Lagoon from on-site septic systems are based on the findings discussed in this report:

Storm Drain Sediment Sampling

- Sediment sampling at the three major storm drain outfalls found levels of bacteria and sterols indicative of impact by fecal matter. The results suggest that the fecal matter sources are probably from both human and animals and the greatest inputs occur at the Cross Creek Road drain that outlets into Malibu Creek immediately north of the PCH bridge. This result suggests a possible source may be from septic overflows to drains or movement of septic system discharges to storm drains through shallow soils. However, additional testing would be required to confirm this conclusion.
- Testing of sediments for linear alkyl benzene compounds (i.e., anionic surfactants commonly found in detergents) at the three major storm drain outfalls indicates on-going contamination from detergents. The highest concentrations were detected at the Cross Creek Road drain outfall. Parking lot washing, restaurant washing, and gray-water systems are the most likely sources needing further investigation.

Groundwater Testing

- Groundwater levels were found to be within 5 to 7 feet below ground surface throughout the study period. This means there was 1.5 to 4 feet of unsaturated soils between the bottom of the leachfield and groundwater. This must be qualified by the fact that the heavy rainfall year kept the lagoon open to the ocean throughout the test period. Further monitoring will be necessary to assess impacts to groundwater levels during extended periods of lagoon closure and subsequent high water levels.
- Nutrient testing of groundwater found nitrate and phosphate levels below 10 mg/L. This result leads to the conclusion that the nutrients are being effectively removed from the effluent as it passes through the unsaturated soils beneath the septic leachfields. While more study may be necessary to confirm this, it appears that septic systems in the Civic Center are not adding to the high concentrations of nutrients found in Malibu Lagoon.
- Based on the low hydraulic gradient (less than 1 foot of drop in 100 yards) measured for the groundwater in the Civic Center commercial area, the groundwater flow rate is estimated at approximately 1 to 4 feet per day. To increase this flow rate, and mimic a worst case condition, the tracer and microbial transport testing was done using a pump that induced a gradient of over 6 feet of drop in 100 yards. This provided a gradient comparable to what would be anticipated during a lagoon breaching event.

Microbial Transport

- A very large dose of the non-pathogenic biophage PRD-1, mimicking an enteric virus, was introduced into the test septic system through a toilet. Groundwater was sampled immediately below the test leachfield and at distances of approximately 10 feet, 80 feet and 150 feet from the edge of the leachfield. PRD-1 was not detected in the groundwater at any of the sampling locations throughout the testing period. Similar testing with a bromide tracer detected bromide breakthrough at the sampling point below the leachfield thus confirming a hydraulic connection.
- A similar large dose of the non-pathogenic biophage MS-2, which also mimics an enteric virus, was introduced directly into the groundwater below the test leachfield. MS-2 was detected a distance of 10 feet away within 24 hours indicating a transport rate between 13 and 28 feet/day under "worst case" hydraulic conditions. Sampling was then performed at 80-feet away with no detection at that point. Bromide tracer testing showed similar results. Further study will be necessary to estimate the actual distance the biophage can travel before being fully attenuated.

In summary, the study results provide the following main conclusions:

- Provided that adequate unsaturated soil exists between the bottom of the leachfield and groundwater (at least 2 feet for the fine-grained soil identified in the Civic Center commercial area), there is minimal concern for pathogen transport to the Creek or Lagoon through subsurface pathways.
- If groundwater levels rise to the bottom of the leachfield there is concern that pathogens could be transported to the Creek or Lagoon. This study found that pathogens were transported at least 10 feet from the edge of the leachfield under "worst case" hydraulic conditions. However, because neither bromide nor MS-2 were detected in samples from P-8 or P-9 at 80 and 150 feet from the test field, the maximum distance that nutrients and pathogens may travel cannot be estimated.

- Alhajjar, B.J., S.L. Stramer, D.O. Cliver, and J.M. Harkin. 1988. Modeling of biological tracers from septic systems. *Water Res.* 22, no. 7: 907-915.
- American Society for Testing and Materials, 1996. ASTM D 422-63, "Standard Test Method for Particle-Size Analysis of Soils".
- Apex Environmental Recovery, Inc. 1993. *Site investigation, Malibu Lagoon Bridge, Pacific Coast Highway, Los Angeles County, California.* Prepared for State of California Department of Transportation, District 7. Apex Project No. DT0716.
- Armon R, et al, Bacteriophages of enteric bacteria in drinking water, comparison of their distribution in two countries. *J Appl Microbiol.* 1997 November:83(5):627-33.
- Bales, R.C., S. Li, K.M. Maguire, M.T. Yahya, C.P. Gerba, and R.W. Harvey. 1995. Virus and bacteria transport in a sandy aquifer, Cape Cod, Massachusetts. *Ground Water* 33 no, 4: 653-661.
- Berry DF, et al. Soil and groundwater transport of microorganisms. *Biotechnology.* 1991; 15: 57-73. Review.
- Borrego, J.J., R. Cornax, M.A. Morinigo, E. Martinez-Manzanares, and P. Romero. 1990. Coliphages as an indicator of faecal pollution in water. Their survival and productive infectivity in natural aquatic environments. *Water Res.* 24, no. 1: 111-116.
- Burlage RS, et al. A transposon for green fluorescent protein transcriptional fusions: application for bacterial transport experiments. *Gene.* 1996:173(1 Spec No):53-8.
- Dames and Moore. 1990. *Site investigation, 3728 Cross Creek Road, Malibu, California.* Prepared for IOKI Partners.
- Dibblee, J.R. 1993. *Geologic Map of the Malibu Beach Quadrangle Los Angeles County, California.* Published by the Dibble Geological Foundation.
- Ferezou, J., E. Gouffier, T. Coste, and F. Chevallier, 1978. Digestion. Vol. 18, pp. 201-212.
- Gold, M., M. Bartlett, et al., 1991. Storm Drains as a Source of Surf Zone Bacterial Indicators and Human Enteric Viruses to Santa Monica Bay. Document prepared for the Santa Monica Bay Restoration Project, May.
- Haile, R. W. et al. 1996. *An epidemiological study of possible adverse health effects of swimming in Santa Monica Bay.* Prepared for the Santa Monica Bay Restoration Project.
- Hvorslev, M.J., 1951. Tim Lag and Soil Permeability in Ground-Water Observations. Bulletin No. 36, Waterways Experiment Station, Corps of Engineers, U.S. Army.
- IAWPRC Study Group on Health Related Water Microbiology. 1991. Review paper: Bacteriophages as model viruses in water quality control. *Water Res.* 25. 5: 529-545.

- Keswick, B.H., and C.P. Gerba. 1980. Viruses in ground water. *Env. Sci. And Tech.* 14, no. 11: 1290-1297.
- Keswick, B.H., D.S. Wang, and C.P. Gerba. 1982. The use of microorganisms as ground water tracers: A review. *Ground Water* 20, no. 2: 142-149.
- Kinoshita, T., R.C. Bales, M.T. Yahya, and C.P. Gerba. 1993. Bacteria transport in a porous medium: Retention of *Bacillus* and *Pseudomonas* on silica surfaces. *Water Research* 27, no. 8: 1295-1301.
- Mainon, B. S. and J. H. Dillingham. 1989. *Malibu Lagoon: A baseline ecological survey.* Performed for Los Angeles County, Department of Beaches and Harbors and California State Department of Parks and Recreation.
- Marti, F, G.D. Valle, M. Krech, R.A. Gees, and E. Baumgrat. 1979. Tracing tests in groundwater with dyes, bacteria and viruses. *Alimenta* 18, no. 5: 135-145.
- Mas-Pla, J., T-C. J. Yeh, J.F. McCarthy, and T.M. Williams, 1992. A Forced Gradient Tracer Experiment in a Coastal Sandy Aquifer, Georgetown Site, South Carolina. *Ground Water* 30, No. 6, pp. 958-964.
- Matthess, G., Al Pekdeger, and J. Schroeter. 1998 Persistence and transport of bacteria and virus in groundwater - A conceptual evaluation. *Journal of Contaminant Hydrology* 2, no. 2: 171-188.
- Melville, J.G., F.J. Molz, and O. Güven. 1991. Multilevel slug tests with comparison to tracer data. *groundwater* 29, no. 6: 897-907.
- Pickens, J. F., and G.E. Grisak, 1981. Scale-dependent dispersion in a stratified granular aquifer. *Water Resources Research* 17, No. 4, pp. 1191-1211.
- Ptak, T., and G. Teutsch. 1994. Forced and natural gradient tracer tests in a highly heterogeneous porous aquifer: Instrumentation and measurements. *Journal of Hydrology* 159, no. 1-4: 79-104.
- Sinton, L.W. 1986. Microbial contamination of alluvial gravel aquifers septic tank effluent. *Water, Air, and Soil Pollution* 28, no. 3-4: 400-425.
- Sinton, L.W., R.K. Finlay, L. Pang, and D.M. Scott. 1997. The transport of bacteria and bacteriophages in irrigated effluent into and through an alluvial gravel aquifer. *Water, Air and Soil Pollution* 98, no. 1: 17-48.
- Skilton H, et al. (Bacteriophage tracer experiments in groundwater. *J Appl Bacteriol.* 1988 November:65(5):387-95.
- Tchobanoglous, G. 1979. *Wastewater Engineering: Treatment, Disposal, Reuse.* (2nd Edition) Published by Metcalf & Eddy, Inc.

- Thorbjarnarson, K.W., D. Huntley, and J.J. McCarty, 1998. Absolute Hydraulic Conductivity Estimates from Aquifer Pumping and Tracer Tests in a Stratified Aquifer. *Groundwater*.
- U.S. Bureau of Reclamation Earth Manual, 1960
- U.S. EPA. 1994. Proposed virus monitoring protocol. Federal Register 59, 6430-6444.
- W. W. Irwin Inc. 1994. *Closure summary report, Texaco service station, 23387 Pacific Coast Highway, Malibu California*. Prepared for Texaco Environmental Services. W. W. Irwin Project No. 10069.00
- Wang DS, et al. Effect of soil permeability on virus removal through soil columns. *Appl Environ Microbiol*. 1981 Jul;42(1):83-8.
- Warshall, P. and P. Williams, 1992. Malibu Wastewater Management: A Human Ecology of the New City. Prepared for the City of Malibu.
- Woodward-Clyde Consultants. 1997. *Project implementation plan for evaluation of potential water quality impacts on Malibu Creek and Lagoon from on-site septic systems*. Prepared for the City of Malibu.
- Yates, M.V. 1985. Septic tank density and ground water contamination. *Ground Water* 23, no. 5: 586-591.
- Yates, M.V. and W.A. Jury. 1995. On the use of virus transport modeling for determining regulatory compliance. *J. Environ. Qual.* 25, no. 6: 1051-1055.
- Yeager, J.G., and R.T. O’Grien. 1977. Enterovirus and Bacteriophage Inactivation in Subsurface Waters and Translocation in Soil. National Technical Information Service, PB-266-708.
- Young, S.C. 1995. Characterization of high-K path ways by borehole flowmeter and tracer tests. *Ground Water* 33, no. 3: 311-318.

Table 3-1

Summary of Drilling Activities

Borehole	Date Drilled	GD RL (ft amsl)	Total Depth (ft bgl)	Screened Interval (ft bgl)
C-1	8.14.97	9.5	15.0	4.0 - 14.5
C-2	8.14.97	9.3	15.0	4.0 - 14.5
P-1	8.14.97	11.6	16.5	4.0 - 14.5
P-6	8.14.97	9.0	16.5	4.0 - 14.5
P-7	8.14.97	8.9	15.0	4.0 - 14.5
P-2	8.25.98	9.8	16.5	3.5 - 13.5
P-3	8.25.98	9.8	16.5	4.7 - 14.7
P-4	8.25.98	10.2	12.5	4.0 - 12.5
P-5	8.25.98	10.2	16.5	4.9 - 14.9
P-8	11.18.98	TBD ⁽²⁾	15.0	3.6 - 13.6
P-9	11.18.98	TBD ⁽²⁾	15.0	4.3 - 14.3

Notes: (1) Date and time of measurement in brackets
(2) TBD = To Be Determined

Table 4-1

Summary of Rising Head Slug Test Results⁽¹⁾

Well	Induced Excess Head (ft)	Hydraulic Conductivity (ft/day)
P-2	2.29	0.60
P-3	2.41	0.69
P-4	1.45	4.06
P-5	1.51	2.80
P-6	2.44	1.22

Note: ⁽¹⁾ Analysis following Horslev (1951)

Table 4-2

Groundwater Level Measurements Taken With Electronic Water Level Probe

Well Ground RL ⁽¹⁾	P-1 11.60		P-2 9.80		P-3 9.80		P-4 10.20		P-5 10.20		P-6 9.00		P-7 8.90		P-8 9.80(3)		P-9 9.80(3)		C-1 9.50		C-2 9.30			
	Date	Time	WL	RL ⁽²⁾	Time	WL	RL ⁽²⁾	Time	WL	RL ⁽²⁾	Time	WL	RL ⁽²⁾	Time	WL	RL ⁽²⁾	Time	WL	RL ⁽²⁾	Time	WL	RL ⁽²⁾	Time	WL
8.13.98	1720	5.25	1325	3.09	1500	3.52	1530	3.25
8.25.98	1306 ⁽⁴⁾	2.25	1408 ⁽⁴⁾	2.39	1500 ⁽⁴⁾	2.00	1530 ⁽⁴⁾	2.52
8.28.98	1200 ⁽⁴⁾	2.21	1155 ⁽⁴⁾	2.27	1202 ⁽⁴⁾	2.25	1201 ⁽⁴⁾	2.28	1622	2.33
8.31.98	0850	2.30	0849	2.36	0851	2.35	0852	2.36	1346	2.29
9.16.98	0831	3.63	0855	2.51	0857	2.58	0859	2.57	0901	2.59	0843	2.35
10.26.98	0855	2.12	0857	2.18	0859	2.17	0903	2.18	0930	1.95
10.29.98	1356	1.92	1345	1.99	1359	1.98	1401	1.99
11.9.98	1535	2.39	1537	2.45	1537	2.45	1538	2.45
11.12.98	1010	2.06	1005	2.13	1007	1.82	1009	2.12
11.16.98	0918	2.54	0916	2.61	0917	2.60	0915	2.59
11.19.98	1023	2.80	1021	2.85	1022	2.85	1020	2.84	1505	2.65
12.1.98	0814	3.03	0811	3.11	0813	3.10	0812	3.09	0808	3.01	0810	2.18	0805	2.91
12.2.98	0850	3.95	1005	3.03	1049	3.07	1042	3.14

Notes: Water levels taken during development, slug testing, and aquifer testing not included
See Figure 4-1 for continuously monitored water levels in select wells

- (1) ft above mean sea level
- (2) Water level RL
- (3) Approximate (not yet surveyed)
- (4) Water level prior to development

Table 4-3

Summary of Analytical Results for General Minerals - Groundwater Samples

Well	Date	Sample No.	Na ⁺	K ⁺	Ca ²⁺	Mg ²⁺	Cl	HCO ₃ ⁻	CO ₃ ²⁻	SO ₄ ²⁻	Br	NO ₃ -N	Total-N	Total-P
P1	10.28.97	P1	9.37	11.87	ND
	11.5.97	P1	6.08	8.08	ND
	12.2.98	SET34-P1-12/1-0945	141	5.13	162	94.6	98	282	ND	537
P2	9.16.98	P2916-1015	0.5
	10.26.98	P21026-1037	327	11.6	134	80.7	212	472	ND	333	283
P3	10.26.98	P31026-1057	211	15.1	168	133	266	504	ND	298	3.9
P4	9.16.98	P4916-1035	0.4
	10.26.98	P41026-1305	223	9.11	172	86.1	307	520	ND	284	1.6
P5	10.26.98	P51026-1122	238	8.82	133	75.1	181	560	ND	242	0.7
P6	10.28.97	P6	0.25	5.35	ND
	11.5.97	P6	ND	5.1	ND
	12.1.98	SET23-P6-12/1-0915	789	23.8	353	209	1100	1120	ND	458
P7	10.28.97	P7	0.18	3.58	ND
	11.5.97	P7	0.27	1.57	0.22
	12.2.98	SET34-P7-12/2-1030	223	12.1	129	91.1	145	444	ND	472
P8	12.1.98	SET26-98-12/1-1326	0.7
P9	12.1.98	SET23-P9-12/1-0840	181	8.3	137	86.2	168	406	ND	323	0.6
C1	10.28.97	C1	0.11	7.18	ND
	11.5.97	C1	ND	9.2	ND
	12.2.98	SET34-C1-12/2-1100	2600	129	188	379	4530	350	ND	695
C2	10.28.97	C2	0.15	2.15	ND
	11.5.97	C2	0.53	2.33	0.77

Notes: All concentrations in mg/L (ppm)

ND = Not detected

... = Not sampled

Table 4-4a

Sterol Results - Soil Samples⁽¹⁾

Sterols	090597-OF1-1	090597-OF1-1⁽²⁾	090597-OF2-1	090597-OF3-1
Coprostanol	0.22	0.28	0.4	0.24
Epicoprostanol	TR	TR	0.18	0.15
Coprostanone	ND	ND	ND	ND
Cholesterol	0.22	0.25	0.76	1.11
Cholestanol	ND	0.07	0.44	0.32
Campesterol	0.75	1.08	0.83	0.14
β -Sitosterol	5.41	5.87	5.23	7.62
5α-Androstanol(sur) % Recovered	83.45	81.47	73.6	94.9

Notes: ⁽¹⁾ Sterols in microgram/g dry soil (Data not corrected for surrogate recovery)

⁽²⁾ Replicate analysis by gas chromatography

TR = Trace

ND = Not Detect

Table 4-4b

Linear Alkyl Benzene (LAB) Results - Soil Samples⁽¹⁾

LAB Type	090597-OF1-1	090597-OF2-1	090597-OF3-1
55-11	ND	9.92	ND
64-11	ND	21.36	ND
73-11	ND	18.97	ND
82-11	ND	15.92	ND
91-11	0.14	9.21	0.18
65-12	ND	15.83	ND
74-12	ND	16.68	ND
83-12	ND	15.17	ND
92-12	ND	11.80	ND
101-12	0.16	11.47	0.14
66/75-13	ND	7.96	1.90
84-13	ND	4.87	ND
93-13	ND	4.00	ND
102-13	ND	3.61	ND
111-13	ND	3.43	0.74
76-14	ND	2.27	ND
85-14	ND	ND	0.75
94-14	ND	1.57	ND
103-14	ND	0.83	5.45
112-14	ND	0.95	ND
121-14	0.05	1.06	0.13
Total LAB's	0.35	176.88	9.29
I/E Ratio⁽²⁾	0.00	0.85	0.00

Notes: ⁽¹⁾ Results in ng/g dry soil

⁽²⁾ I/E Ratio = $6-C_{12}+5-C_{12}/4-C_{12}+3-C_{12}+2-C_{12}$

ND = Non Detect

Table 4-4c

Results of Selected Indicator Bacteria - Soil Samples

Sample Location	Sample Number	Date Sampled	Sample Matrix	Enterococcus (MPN ¹ /G) ²	Fecal Coliform (MPN/G) ³	Total Coliform (MPN/G) ⁴
OF-1	090597-OF1-2	09/05/97	Soil	43	<10	160
OF-2	090597-OF2-2	09/05/97	Soil	430	<10	2800
OF-3	090597-OF3-2	09/05/97	Soil	230	<10	11000

- Notes:
- 1 MPN = most probable number
 - 2 In accordance with SM9230
 - 3 In accordance with FDA Biological Analytical Manual
 - 4 In accordance with FDA Biological Analytical Manual

Table 4-5

Results of Selected Indicator Bacteria - Water Samples

Sample Location	Sample Number	Date Sampled	Sample Matrix	Enterococcus (MPN ¹ /0.1L) ²	Fecal Coliform (MPN/0.1L) ³	Total Coliform (MPN/0.1L) ⁴
P-1	082997-P1	08/29/97	Groundwater	2	23	130
P-6	082997-P6	08/29/97	Groundwater	<2	80	80
P-7	082997-P7	08/29/97	Groundwater	8	>1600	>1600
C-1	082997-C1	08/29/97	Groundwater	900	1600	1600
C-2	082997-C2	08/29/97	Groundwater	4	80	130
OF-3	090597-OF3-3	09/05/97	Surface Water	>1600	>1600	>1600


- Notes:
- 1 MPN = most probable number
 - 2 In accordance with FDA Biological Analytical Manual
 - 3 In accordance with EPA Method 908C
 - 4 In accordance with EPA Method 908A

Table 4-6

Relative Bromide and Coliphage Concentrations

Bromide Tracer Test P-4 Results		
Time Since Start of Test (hrs)	Conc. (mg/L Br)	Conc. (as % of Injection Conc.)
-0.93	0.4	9.4E-04
-0.02	0.4	9.4E-04
0.00	0.4	9.4E-04
1.00	0.4	9.4E-04
2.00	0.6	1.4E-03
4.00	4.4	1.0E-02
6.00	8.2	1.9E-02
8.00	10.7	2.5E-02
10.00	816	1.9E+00
19.22	18.5	4.4E-02

Coliphage Seeding Test P-4 Results		
Time Since Start of Test (hrs)	Conc. (pfu of MS-2)	Conc. (as % of Injection Conc.)
-0.28	0.0	0.0E+00
0.72	0.0	0.0E+00
2.05	1.0	6.3E-08
3.22	7.0	4.4E-07
7.72	200.0	1.3E-05
11.72	3000.0	1.9E-04
15.97	32000.0	2.0E-03
16.88	19000.0	1.2E-03
17.72	49000.0	3.1E-03
18.43	42000.0	2.6E-03
19.43	23000.0	1.4E-03
20.80	71000.0	4.4E-03
21.72	82000.0	5.1E-03
26.88	82000.0	5.1E-03
52.00	52000.0	3.3E-03
69.13	35000.0	2.2E-03
165.13	416.0	2.6E-05
256.35	98.0	6.1E-06
335.92	6.0	3.8E-07
401.78	0.0	0.0E+00
496.63	7.0	4.4E-07
570.05	3.0	1.9E-07
857.08	0.0	0.0E+00




SITE LOCATION MAP

Project No.: 964P170	Date: JANUARY 1999	Project: MALIBU LAGOON	Fig. 1-1
----------------------	--------------------	------------------------	----------



- LEGEND**
- P-4
EL. 8.9 ● MONITORING WELL LOCATIONS, WITH ELEVATION OF GROUND SURFACE AT WELL HEAD (TBD = TO BE DETERMINED)
 - OF-1 ■ OUTFALL SAMPLING LOCATIONS
 - SEPTIC SYSTEM WITH DRAINFIELD
 - F SEPTIC SYSTEM DRAINFIELD - FUTURE EXPANSION




Woodward-Clyde Consultants
 Engineering & sciences applied to the earth & its environment
 2020 First Street, Santa Ana, CA 92705 (714)835-6886

**MALIBU LAGOON
 SEPTIC EFFLUENT STUDY - SITE PLAN**

PROJECT: CITY OF MALIBU	DESIGNED/CHECKED BY: DL/WM
PROJ. No.: 964P170	DRAFTED BY: DL/WM
DATE: 1/21/99	FIGURE: 1-2

PS: T:\UPRA\BKP\T\T\UPRA\SEP\170.dwg, R4.01, D:\21/99, 16:30



LEGEND


Quaternary

- af - Artificial Fill
- Qa - Flood Plan Alluvial Clay, Sand, Gravel
- Qs - Beach Sand
- Qg - Stream Channel Gravel & Sand
- Qls - Landslide Debris
- Qoa - Older Alluvium

Tertiary

- Tm - Thin Bedded Siliceous Shale (*Monterey Fm*)
- Tcvb - Basaltic Flows & Breccias (*Conejo Volcanics*)
- db - Diabase or Basalt
- Ttts - Thick Bedded Coherent Sandstone (*Lower Topanga Fm*)
- Tsp - Thick Bedded Resistant Sandstone (*Sespe Fm*)

Note: Base map taken from Geologic Map of the Malibu Beach Quadrangle, Los Angeles, CA. By Thomas W. Dibblee Jr., 1993.




GEOLOGIC SITE LOCATION MAP

Project No.: 964P170	Date: JANUARY 1999	Project: MALIBU LAGOON	Fig. 2-1
----------------------	--------------------	------------------------	----------

Figure 4-1

Groundwater Level Data




Notes: Malibu Creek flowing to ocean during monitored period.
Period when aquifer testing undertaken not included.



Figure 4-2


Piper Tri-linear Diagram⁽¹⁾



Note: ⁽¹⁾ Groundwater samples from P2, P3, P4, and P5 collected on 10.26.98. Groundwater samples from C1, P1, P6, P7, and P9 collected on 12.1.98

Figure 4-3

Bromide Tracer Test: Bromide Concentration vs Time



Notes: Bromide concentration immediately prior to test assumed to be the same as those measured approximately 1 hour before test.
P-2 bromide concentration in at t=0 calculated from quantity of bromide added to well.

Figure 4-4

Coliphage Seeding Test: MS-2 Count vs Time




Figure 4-5

Coliphage Seeding Test: MS-2 Count vs Time (3-Day Plot)







Figure 4-6

Bromide Tracer and Coliphage Seeding Curves at P-4 (3-Day Plot)





CROSS CREEK PLAZA STUDY AREA



PROFILE A-A' CROSS CREEK PLAZA STUDY AREA

APPENDIX A
BOREHOLE LOGS

Project: Malibu Creek and Lagoon

Project Location: Malibu, California

Project Number: 964P170

Key to Log of Boring

Sheet 1 of 2

Depth, feet	Approximate Elevation, feet	SAMPLES		Graphic Log	MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS	
		Type	Number							
					Dense, moist, brown, SILTY SAND (SM). [solid line denotes observed contact between strata or abrupt change in soil type] [dashed line denotes inferred contact between strata or gradational change]					
			1	22	<p>SAMPLING METHOD</p> Sample collected in 2-inch-OD split barrel drive sampler with 1-3/4-inch brass liner tubes and advanced using 140-lb hammer dropped 30 inches		13.0	28	Gravelly zone. Strong odor.	
					Water encountered at time of drilling  Static water level measured in well 					
1	2	3	4	5	6	7	8	9	10	11

COLUMN DESCRIPTIONS

- 1** Depth: Distance in feet below the ground surface.
- 2** Elevation: Elevation in feet with respect to mean sea level (MSL) or assumed datum.
- 3** Sample Type: Type of sample collected at depth interval shown; symbols explained above.
- 4** Sample Number: Sample identification number.
- 5** Sample Blows/foot: Number of blows required to advance driven sampler 1 foot, or distance indicated, using a 140-lb hammer with a 30-inch drop. " * " indicates blow count for initial 6-inch seating interval of sampling only.
- 6** Graphic Log: Graphic depiction of subsurface material encountered; symbols explained on Sheet 2 of Key.
- 7** Material Description: Description of subsurface material encountered, including USCS soil designation.
- 8** Well Completion Log: Graphic depiction of well construction; symbols explained on Sheet 2 of Key.
- 9** Water Content: Water content of soil specimen as percentage of dry soil weight.
- 10** % Passing #200 Sieve: Percentage of total dry soil weight passing #200 sieve.
- 11** Other Tests and Remarks: Results of other laboratory testing and/or comments or observations regarding drilling/sampling made by driller or Woodward-Clyde Consultants' field personnel.

GENERAL NOTES

- Soil classifications are based on the Unified Soil Classification System (USCS) and include relative density/consistency (where standard blow count correlation is possible), moisture, and color. Field descriptions may have been modified to reflect results of laboratory tests.
- Descriptions on this boring log apply only at the specific boring location and at the time the boring was advanced. They are not warranted to be representative of subsurface conditions at other locations or times.

Project: Malibu Creek and Lagoon

Project Location: Malibu, California

Project Number: 964P170

Key to Log of Boring

Sheet 2 of 2

Depth, feet	Approximate Elevation, feet	SAMPLES		MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type Number	Blows/foot					
UNIFIED SOIL CLASSIFICATION SYSTEM SYMBOL AND ROCK TYPE NAME VERSUS CORRESPONDING GRAPHIC LOG								
SYMBOLS USED IN WELL COMPLETION LOG								
				SILT - ML				PIPE IN CONCRETE
				Lean (low-plasticity) CLAY - CL				
				Elastic SILT - MH				
				Fat (high-plasticity) CLAY - CH				
				SILTY CLAY (CL)				PIPE IN CEMENT-BENTONITE GROUT
				CLAYEY SILT (ML)				
				Well-graded GRAVEL - GW				
				Poorly graded GRAVEL - GP				PIPE IN SAND-BENTONITE MIXTURE
				CLAYEY GRAVEL - GC				
				SILTY GRAVEL - GM				
				Well-graded SAND - SW				
				Poorly graded SAND - SP				PIPE IN BENTONITE CHIPS
				CLAYEY SAND - SC				
				SILTY SAND - SM				
				Well-graded GRAVEL with CLAY - GW-GC				PIPE IN BENTONITE PELLETS
				Well-graded GRAVEL with SILT - GW-GM				
				Poorly graded GRAVEL with CLAY - GP-GC				
				Poorly graded GRAVEL with SILT - GP-GM				PIPE IN SAND PACK
				SILTY, CLAYEY GRAVEL - GC-GM				
				Well-graded SAND with CLAY - SW-SC				
				Well-graded SAND with SILT - SW-SM				SLOTTED PIPE IN SAND PACK
				Poorly graded SAND with CLAY - SP-SC				
				Poorly graded SAND with SILT - SP-SM				
				SILTY, CLAYEY SAND - SC-SM				PIPE END CAP
				Topsoil				
				SAPROLITE or WEATHERED ROCK				SAND PACK
				SCHIST				
				SHALE				
				CLAYSTONE				CEMENT-BENTONITE BACKFILL
				SILTSTONE				

Project: Malibu Creek and Lagoon

Project Location: Malibu, California

Project Number: 964P170

Log of Boring C-1

Sheet 1 of 1

Date(s) Drilled	8/14/97	Logged By	E. Fordham	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth Drilled (feet)	15.0
Drill Rig Type	Mobile B-80	Drilling Contractor	Budger Drilling	Surface Elevation	
Groundwater Level	4.57 feet below ground surface	Date Measured	8/14/97 at 1620 hrs	Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	11	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	#2/12 Lonestar sand	Type/Depth of Seal(s)	Bentonite 3 feet to 1 foot bgs	Screen Perforation	0.020-inch slot
Comments	See site map for location.				

Depth, feet	Approximate Elevation, feet	SAMPLES			MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot					
0					Moist, brown, SANDY SILT (ML), with clay and gravel to 1 inch.				Begin drilling at 1400 hrs.
5			1	22	Medium dense, moist, brown, SILTY SAND (SM), with clay and trace gravel to 1 inch.			45.1	Water at 6.5 ft bgs during drilling.
10			2	37	Medium dense to dense, wet, gray, well-graded SAND with silt and gravel (SW-SM), fine- to medium-grained sand, gravel to 3 inches.			9.4	Heaving sands at 15 ft; no sample.
15					Bottom of boring at 15.0 feet.				Begin setting well at 1430 hrs. Complete well at 1520 hrs.
20									
25									
30									

Project: Malibu Creek and Lagoon

Project Location: Malibu, California

Project Number: 964P170

Log of Boring C-2

Sheet 1 of 1

Date(s) Drilled	8/14/97	Logged By	E. Fordham	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth Drilled (feet)	15.0
Drill Rig Type	Mobile B-80	Drilling Contractor	Budger Drilling	Surface Elevation	
Groundwater Level	4.24 feet below ground surface	Date Measured	8/14/97 at 1630 hrs	Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	11	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	#2/12 Lonestar sand	Type/Depth of Seal(s)	Bentonite 3 feet to 1 foot bgs		
Comments See site map for location.					

Depth, feet	Approximate Elevation, feet	SAMPLES			MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot					
0					Moist, brown, CLAYEY SILT (ML), with sand, occasional gravel to 1/2 inch.				Begin drilling at 1215 hrs.
5			1	17	Very stiff, moist, brown, SANDY SILT (ML), with clay, occasional gravel to 1/2 inch.		21.3		
10			2	36	Dense, wet, gray, well-graded SAND with silt and gravel (SW-SM), fine- to medium-grained sand, gravel to 3 inches. Increasing gravel.				Water at 8 ft bgs during drilling. Heaving sands at 10 ft.
15					Bottom of boring at 15.0 feet.				No sample at 15 ft due to heaving sands and gravel. Begin setting well at 1300 hrs. Complete well at 1340 hrs.
20									
25									
30									

Project: Malibu Creek and Lagoon

Project Location: Malibu, California

Project Number: 964P170

Log of Boring P-1

Sheet 1 of 1

Date(s) Drilled	8/14/97	Logged By	E. Fordham	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth Drilled (feet)	16.5
Drill Rig Type	Mobile B-80	Drilling Contractor	Budger Drilling	Surface Elevation	
Groundwater Level	5.65 feet below top of casing	Date Measured	8/14/97 at 1735 hrs	Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	11	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	#2/12 Lonestar sand	Type/Depth of Seal(s)	Bentonite 3 feet to 1 foot bgs	Screen Perforation	0.020-inch slot
Comments See site map for location.					

Depth, feet	Approximate Elevation, feet	SAMPLES		Graphic Log	MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number						
0					Moist, brown, well-graded SAND with silt and gravel (SW-SM), fine- to coarse-grained sand, gravel to 2 inches.				Begin drilling at 0720 hrs. Hand auger to 4 ft bgs.
5			1	12	Medium dense.		16.4		Water at 8 ft bgs during drilling.
10			2	11	Becomes wet, with slightly increased fines content, locally grading to SILTY SAND (SM).			12.4	
15			3	25					Heaving sands at 15 ft.
20					Bottom of boring at 16.5 feet.				Begin setting well at 0815 hrs. Complete well at 0915 hrs.
25									
30									

Project: Malibu Lagoon Investigation
 Project Location: Cross Creek Plaza, Malibu, California
 Project Number: 964P170

Log of Boring P-2

Sheet 1 of 1

Date(s) Drilled	8/25/98	Logged By	P. Salter	Checked By	E. Fordham
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth of Boring	16.5 feet
Drill Rig Type	Mobile Drill B-80	Drilling Contractor	Badger Drilling	Approximate Surface Elevation	9.8 feet MSL
Groundwater Level(s) and Date(s) Measured	7.16 feet below top of PVC casing on 8/31/98 at 0850 hrs			Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	10	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	Monterey 2/12 sand		Type/Depth of Seal(s)	Bentonite pellets 3 feet to 1 foot bgs	
Comments	See site map for location. Top of PVC casing at 0.34 foot bgs.				


Depth, feet	Approximate Elevation, feet	SAMPLES			MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot					
0					Asphalt Medium dense, moist, dark brown, silty SAND (SM), medium-grained [Fill]. Medium stiff, moist, dark brown, sandy SILT, medium, predominantly quartz sand grains.				
5	5		1	4					
10	0		2	50/2**	Loose, moist to wet, gray-brown, silty GRAVEL with sand (GM), subangular to rounded gravel to 1-1/2 inches consisting of slightly weathered, strong, dark gray graywacke and slightly weathered, very strong, green-gray granite.				SPT sampler wet at about 10 ft. *Blow count for seating interval.
15	-5		3	22	Medium dense, wet, dark gray-brown, poorly graded SAND (SP), medium quartz and mafic grains, trace silt, rare strong, brown sandstone gravel to 1 inch. Wet, gray, coarse-grained sand layer 0.2 foot thick				
					Bottom of boring at 16.5 feet.				
20	-10								
25	-15								

Project: Malibu Lagoon Investigation
Project Location: Cross Creek Plaza, Malibu, California
Project Number: 964P170

Log of Boring P-3

Sheet 1 of 1

Date(s) Drilled	8/25/98	Logged By	P. Salter	Checked By	E. Fordham
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth of Boring	16.5 feet
Drill Rig Type	Mobile Drill B-80	Drilling Contractor	Badger Drilling	Approximate Surface Elevation	9.8 feet MSL
Groundwater Level(s) and Date(s) Measured	7.03 feet below top of PVC casing on 8/31/98 at 0849 hrs			Hammer Weight/ Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	10	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	Monterey 2/12 sand		Type/Depth of Seal(s)	Bentonite pellets 3.7 feet to 1 foot bgs	
Comments	See site map for location. Top of PVC casing at 0.41 foot bgs.				



Project: Malibu Lagoon Investigation
Project Location: Cross Creek Plaza, Malibu, California
Project Number: 964P170

Log of Boring P-4
 Sheet 1 of 1

Date(s) Drilled	8/25/98	Logged By	P. Salter	Checked By	E. Fordham
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth of Boring	12.5 feet
Drill Rig Type	Mobile Drill B-80	Drilling Contractor	Badger Drilling	Approximate Surface Elevation	10.2 feet MSL
Groundwater Level(s) and Date(s) Measured	7.40 feet below top of PVC casing on 8/31/98 at 0851 hrs			Hammer Weight/ Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	10	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	Monterey 2/12 sand		Type/Depth of Seal(s)	Bentonite pellets 3 feet to 1 foot bgs	
Comments: Encountered steel pipe at 4.5 feet (undamaged); moved hole 1 foot south and redrilled. See site map for location.					


Depth, feet	Approximate Elevation, feet	SAMPLES			MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot					
0	10				Soft, moist, dark brown, sandy SILT (ML) with organics [Topsoil/Fill].				Top of PVC casing 0.45 ft below ground level.
					Medium stiff, moist, dark gray-brown, sandy SILT (ML) with concrete fragments to 4 inches [Fill].				
					Medium stiff, moist, dark brown, sandy SILT, medium-grained sand.				
5	5	Hatched	1	8	Loose, moist, light brown, silty SAND (SM), medium-grained, with rare subangular quartz gravel to 1 inch.				
10	0	Hatched	2	34	Dense, moist to wet, dark gray, sandy GRAVEL (GP), gravel and cobbles consisting of slightly weathered, strong, green-gray granite. Becomes wet				SPT sampler wet at about 10.5 ft. Hydrocarbon odor below 10.5 ft.
15	-5				Boring terminated at 12.5 feet due to refusal on cobbles.				
20	-10								
25									

Project: Malibu Lagoon Investigation
Project Location: Cross Creek Plaza, Malibu, California
Project Number: 964P170

Log of Boring P-5

Sheet 1 of 1

Date(s) Drilled	8/25/98	Logged By	P. Salter	Checked By	E. Fordham
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth of Boring	16.5 feet
Drill Rig Type	Mobile Drill B-80	Drilling Contractor	Badger Drilling	Approximate Surface Elevation	10.2 feet MSL
Groundwater Level(s) and Date(s) Measured	7.33 feet below top of PVC casing on 8/31/98 at 0852 hrs			Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	10	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	Monterey 2/12 sand		Type/Depth of Seal(s)	Bentonite pellets 3.9 feet to 1 foot bgs	
Comments	See site map for location. Top of PVC casing at 0.51 foot bgs.				



Project: Malibu Creek and Lagoon
 Project Location: Malibu, California
 Project Number: 964P170

Log of Boring P-6

Sheet 1 of 1

Date(s) Drilled	8/14/97	Logged By	E. Fordham	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth Drilled (feet)	16.5
Drill Rig Type	Mobile B-80	Drilling Contractor	Budger Drilling	Surface Elevation	
Groundwater Level	3.41 feet below top of casing	Date Measured	8/14/97 at 1730 hrs	Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	11	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	#2/12 Lonestar sand	Type/Depth of Seal(s)	Bentonite 3 feet to 1 foot bgs		
Comments	See site map for location.				

Depth, feet	Approximate Elevation, feet	SAMPLES		Graphic Log	MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number						
0					Soft to medium stiff, moist, dark brown, SANDY SILT (ML), with clay and gravel to 1/2 inch.				Begin drilling at 0950 hrs.
5			1	5	Becomes medium stiff to stiff, wet.		19.1	11.7	Hydrocarbon iodur 5-10 ft. No recovery in sample at 5 ft. Water at 6 ft bgs during drilling.
			2	9					
10			3	15	Medium dense, wet, brown, well-graded SAND with silt and gravel (SW-SM), fine- to coarse-grained, gravel to 2 inches.				
					Increasing gravel.				
					Decreasing gravel.				
15			4	17					Heaving sands at 15 ft.
					Bottom of boring at 16.5 feet.				Begin setting well at 1030 hrs. Complete well at 1130 hrs.
20									
25									
30									

Project: Malibu Creek and Lagoon
 Project Location: Malibu, California
 Project Number: 964P170

Log of Boring P-7

Sheet 1 of 1

Date(s) Drilled	8/14/97	Logged By	E. Fordham	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth Drilled (feet)	15.0
Drill Rig Type	Mobile B-80	Drilling Contractor	Budger Drilling	Surface Elevation	
Groundwater Level		Date Measured		Hammer Weight/ Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	11	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	#2/12 Lonestar sand	Type/Depth of Seal(s)	Bentonite 3 feet to 1 foot bgs		
Comments See site map for location.					

Depth, feet	Approximate Elevation, feet	SAMPLES			MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot					
0					Moist, brown, SANDY SILT (ML), with clay and gravel to 2 inches.				Begin drilling at ___ hrs.
5			1	13	Medium dense, moist, brown, SILTY SAND (SM), with clay and gravel to 2 inches.		25.0	12.5	Water at 8 ft bgs during drilling.
10			2	39	Dense, wet, gray, well-graded SAND with silt and gravel (SW-SM), fine- to coarse-grained sand, gravel to 3 inches, occasional cobble.				Heaving sands at 15 ft; no sample.
15					Bottom of boring at 15.0 feet.				Begin setting well at ___ hrs. Complete well at ___ hrs.
20									
25									
30									

Project: Malibu Lagoon Investigation
Project Location: Cross Creek Plaza, Malibu, California
Project Number: 964P170

Log of Boring P-8

Sheet 1 of 1

Date(s) Drilled	11/18/98	Logged By	P. Salter	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth of Boring	15.0 feet
Drill Rig Type	Mobile Drill B-80	Drilling Contractor	Badger Drilling	Approximate Surface Elevation	Not available
Groundwater Level(s) and Date(s) Measured	7.70 feet below top of PVC casing on 11/19/98 at 1515 hrs			Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	10	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	2/12 Lonestar sand		Type/Depth of Seal(s)	Bentonite pellets 2.6 feet bgs to ground surface	
Comments	See site map for location. Top of PVC casing at 0.45 foot bgs.				

Depth, feet	Approximate Elevation, feet	SAMPLES			MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot					
0					<p>Medium dense, moist, brown, silty SAND (SM), fine- to medium-grained, organic, with gravel- to cobble-size concrete fragments (up to 8 inches diameter) [Fill].</p> <p>Medium stiff to stiff, moist, dark brown, sandy SILT (ML), medium- to coarse-grained sand, with rare lenses to 2 inches thick of loose, dry, brown, silty medium- to coarse-grained sand.</p>				
5		Hatched	1	11	<p>Medium dense, dry, gray-brown, poorly graded SAND (SP), medium- to coarse-grained, quartz-rich [beach sand?].</p>				SPT samples retained.
10		Hatched	2	39	<p>Dense, wet, gray-brown, sandy GRAVEL (GP); medium- to coarse-grained quartz sand, cemented sandstone gravel to 1-1/2 inches diameter.</p>				Water at about 8 ft bgs during drilling.
15					Bottom of boring at 15.0 feet.				
20									
25									

Project: Malibu Lagoon Investigation
Project Location: Cross Creek Plaza, Malibu, California
Project Number: 964P170

Log of Boring P-9

Sheet 1 of 1

Date(s) Drilled	11/18/98	Logged By	P. Salter	Checked By	
Drilling Method	Hollow-Stem Auger	Drill Bit Size/Type	10-inch-OD auger	Total Depth of Boring	15.0 feet
Drill Rig Type	Mobile Drill B-80	Drilling Contractor	Badger Drilling	Approximate Surface Elevation	Not available
Groundwater Level(s) and Date(s) Measured	7.40 feet below top of PVC casing on 11/19/98 at 1509 hrs			Hammer Weight/Drop (lbs/in.)	140 / 30
Diameter of Hole (inches)	10	Diameter of Well (inches)	4	Type of Well Casing	Schedule 40 PVC
Type of Sand Pack	2/12 Lonestar sand		Type/Depth of Seal(s)	Bentonite pellets 2.6 feet bgs to ground surface	
Comments	See site map for location. Top of PVC casing at 0.52 foot bgs.				

Depth, feet	Approximate Elevation, feet	SAMPLES				MATERIAL DESCRIPTION	Well Completion Log	Water Content, %	% Passing #200 Sieve	OTHER TESTS AND REMARKS
		Type	Number	Blows/foot	Graphic Log					
0						Loose, moist, yellow-brown, poorly graded SAND (SP), medium- to coarse-grained, quartz-rich, organic.				
5		Hatched	1	7		Medium stiff, moist, gray-black, sandy SILT, medium- to coarse-grained sand, some subangular gravel consisting of strong, yellow quartzite, trace organics.				SPT samples retained(?).
10		Hatched	2	32		Loose, moist, brown-yellow, silty SAND (SM), medium-grained.				Water at about 9 ft bgs during drilling.
15						Bottom of boring at 15.0 feet.				
20										
25										

APPENDIX B
GEOTECHNICAL LABORATORY TEST DATA

LABORATORY WATER CONTENT: AS - RECEIVED CONDITION

ASTM D 2216 - 92

Project Number: 964P170
 Project Name: MALIRU CREEK
 Project Engineer: EF

Task Number: 9005
 Assignment Number: _____
 Authorized by: _____

Exploration No.	<u>C-2</u>		<u>P-1</u>		<u>P-6</u>			
Sample No.	<u>1</u>		<u>1</u>		<u>2</u>			
Depth (ft.)	<u>5</u>		<u>5</u>		<u>6.5-7'</u>			
Container No.	<u>M-10</u>		<u>M-6</u>		<u>M-60</u>			
Mass of Container and Wet Specimen, M1 (g)	<u>423.88</u>		<u>353.20</u>		<u>380.28</u>			
Mass Container and Dry Specimen, M2 (g)	<u>365.10</u>		<u>316.25</u>		<u>334.00</u>			
Mass Container, M3 (g)	<u>89.70</u>		<u>90.62</u>		<u>91.78</u>			
Water Content, w (%)	<u>21.34</u>		<u>16.38</u>		<u>19.11</u>			
Unified Soil Classification Group Symbol (Visual)	<u>SM</u>		<u>SP-SM</u>		<u>ML</u>			
Circle Approximate Maximum Grain Size (Visual)	<u>3", 1 1/2", 3/4", 3/8"</u> #4, #10, <#10							
Oven Temp. if Other Than 110 °C								

Exploration No.								
Sample No.								
Depth (ft.)								
Container No.								
Mass of Container and Wet Specimen, M1 (g)								
Mass Container and Dry Specimen, M2 (g)								
Mass Container, M3 (g)								
Water Content, w (%)								
Unified Soil Classification Group Symbol (Visual)								
Circle Approximate Maximum Grain Size (Visual)	<u>3", 1 1/2", 3/4", 3/8"</u> #4, #10, <#10							
Oven Temp. if Other Than 110 °C								

Remarks: _____

$w = ((M1 - M2) / (M2 - M3)) * 100$


TESTED BY: TD DATE: 8/25/97
 DRY MASS BY: TD
 CALCULATED BY: TD

CHECKED BY: _____
 SPOT CHECKED BY: _____
 REVIEWED BY: _____

UNIFIED SOIL CLASSIFICATION

C
O
B
B
L
E
S

GRAVEL		SAND			SILT AND CLAY	
COARSE	FINE	COARSE	MEDIUM	FINE		
U. S. STANDARD SIEVE SIZES					HYDROMETER	



Exploration No.	Sample No.	Depth (ft)	SYMBOL	Wn (%)	LL	PI	CF	Description and Classification	D ₆₀	D ₃₀	D ₁₀	Cu	Cc
C-1	1	5.0	●	NT	NT	NT	NT	Grayish brown silty SAND (SM)					
C-1	2	10.0	◆	NT	NT	NT	NT	Dark gray well-graded SAND with silt and gravel (SW-SM)	1.7	0.38	0.08	21.3	1.1
P-1	2	10.0	■	NT	NT	NT	NT	Brown silty SAND (SM)					
P-6	3	10.0	○	NT	NT	NT	NT	Gray well-graded SAND with silt (SW-SM)	0.83	0.29	0.06	13.8	1.7
P-7	1	5.0	□	25.0	NT	NT	NT	Dark brown silty SAND (SM)					

<p>PROJECT NAME: Malibu Creek PROJECT NUMBER: 964P170</p>	<p>PARTICLE-SIZE DISTRIBUTION CURVES</p>	<p>Figure:</p>
---	---	-----------------------

PARTICLE-SIZE ANALYSIS : by Sieving using Soil Sieve Sizes & with Water Content

ASTM D 422 - 63 (1990), C 136 - 92, C 117 - 90 and D 2216 - 92

Project Number: 964P170 Task Number: 9005 Exploration No.: C-1
 Project Name: MPLIBU CREEK Assignment No.: _____ Sample No.: 1
 Project Engineer: EF Depth (ft): 5

Initial Visual Description: See Visual Description Form (S-103) or Grayish brown silty sand (sm)

SPECIMEN: Tested From: Bulk Sample Thin-Walled Tube
 SPT Sample Engr. Property Test
 Mod Calif Sample Specimen's WC
 Other _____

See Bulk Sample Processing Information Form (S-106)

Selection Method:
 Sieves (1) - whole sample used
 _____ Sieves (1) - partial sample used & selected by Method(s) &
 _____ Sieves (1) - partial sample used & selected by Method(s) &
 (a) Splitter. (use for dry soils or that which will segregate)
Methods: (b) Quartering. (use for dry soils or that which will segregate)
 (c) Representative scoop after mixing, or slice of intact sample.
 (use for moist soils or that which will not segregate)

Preparation: Oven-Dried Soil Broken Up Before:
 Sample/Specimen: Selecting partial sample: No Yes
 Oven-Dried Sieving 1st Sieve Series: No Yes
 Air Dried Sieving 2nd Sieve Series: No Yes
 As-Received State Sieving 3rd Sieve Series: No Yes

Washing: No Yes
 Whole Specimen Washed on No. 200 sieve? and Soil Soaked for 6 hrs.
 Retained Fraction: 1st Split Washed? 2nd Split Washed? No Yes
 Fine Fraction Washed on No. 200 sieve? and Soil Soaked for _____ hrs.

By: Mortar & Pestle Remarks _____
 Pulverizer
 Hand
 Other

MASS OF TEST SPECIMEN (g)					Water Content	
	Total Test Specimen	Partial Test Specimen		Soil Retained (after washing)	As Received or	
Min. sieve size in sieving sequence (1)		1st Split	2nd Split	2nd Split	+200	Container No
Container Number	<u>M-1</u>				<u>11-1</u>	
Mass of Container and Dry Soil, (g)	<u>366.05</u>				<u>248.54</u>	Wet, M1 (g)
Mass of Container, (g)	<u>92.06</u>				<u>92.06</u>	Dry, M2 (g)
Dry Soil, Ws (g)	<u>273.99</u>				<u>156.48</u>	Cont. M3 (g)
Mass of Dry Soil from Hydrometer, Ws (g)						Water Content (%)

SIEVING RESULTS									
See (2)	Sieve No.	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'	Req. Mass of Test Spec for 1% (kg)	Sieve No. / (3)	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'
	3"				3" = 70				
	2"				1 1/2" = 10				
	1 1/2"				3/4" = 1.1				
	1"				3/8" = 0.25	3/8"	<u>0.57</u>		<u>100.0</u>
	3/4"				#4 = 0.1	4 / 325	<u>0.37</u>		<u>79.4</u>
	1/2"				#10 = 0.1	10 / 180	<u>0.55</u>		<u>99.8</u>
	3/8"					20 / 115	<u>2.87</u>		<u>99.0</u>
	4					40 / 75	<u>14.18</u>		<u>94.8</u>
	Pan		XXXXXXXX	XXXXXXXXXX		60 / 60	<u>42.01</u>		<u>84.7</u>
						100* / 40	<u>82.17</u>		<u>70.0</u>
						140 / 30	<u>118.22</u>		<u>56.9</u>
						200 / 20	<u>150.48</u>		<u>45.1</u>
						Pan	<u>156.69</u>	XXXXXXXXXX	XXXXXXXXXX

Notes: (1) Sieve size given, denotes min. sieve size used in the appropriate sieving sequence
 (2) X in box denotes sieve on which split was made (3) Proposed allowable amount of soil retained on 8" sieve.

SUMMARY: Shape, Filter, & etc. Parameters

% COBBLES _____ D60 _____ D85 _____
 % GRAVEL 0.1 D30 _____ D15 _____
 % SAND 54.8 D10 _____ D50 _____
 % FINES 45.1 Cu = _____ Cc = _____

Mica Noted: No ; Yes Amount Adjective: _____

Note: The above values D## denotes particle size (mm) at the corresponding percent passing. * Denotes sieve added to better define gradation curve

SET-UP BY: _____ DRY MASS BY: _____ WASHED BY: _____
 COARSE FRACTION: _____ CALCULATED BY: TO
 FINE FRACTION: TO _____ CHECKED BY: _____
 DATE: 8/25/97 8/26/97 1AT _____
8/26/97 SPOT CHECKED BY: _____
 REVIEWED BY: _____

PARTICLE-SIZE ANALYSIS : by Sieving using Soil Sieve Sizes & with Water Content

ASTM D 422 - 63 (1990), C 136 - 92, C 117 - 90 and D 2216 - 92

Project Number: 964P170 Task Number: 9005 Exploration No.: C-1
 Project Name: MALIBU CREEK Assignment No: _____ Sample No.: 2
 Project Engineer: FEF Depth (ft): 10

Initial Visual Description: See Visual Description Form (S-103) or Dark gray well-sorted sand with silt and gravel (1/8" - 5/16")

SPECIMEN: Tested From: Bulk Sample Thin-Walled Tube SPT Sample Engr Property Test Mod Calif Sample Specimen's WC: Other _____

Selection Method:
 Sieves (1) - whole sample used
 Sieves (1) - partial sample used & selected by Method(s) & _____
 Sieves (1) - partial sample used & selected by Method(s) & _____

Methods: (a) Splitter, (use for dry soils or that which will segregate)
 (b) Quartering, (use for dry soils or that which will segregate)
 (c) Representative scoop after mixing, or slice of intact sample. (use for moist soils or that which will not segregate)

See Bulk Sample Processing Information Form (S-106)

Preparation: Oven-Dried Soil Broken Up Before:
 Sample/Specimen: Selecting partial sample: No Yes
 Oven-Dried Seiving 1st Sieve Series: No Yes
 Air Dried Seiving 2nd Sieve Series: No Yes
 As-Received State Seiving 3rd Sieve Series: No Yes

By: Mortar & Pestle Pulverizer Hand Other _____

Washing: Whole Specimen Washed on No. 200 sieve? No Yes and Soil Soaked for _____ hrs.
 Retained Fraction: 1st Split Washed? No Yes 2nd Split Washed? No Yes
 Fine Fraction Washed on No. 200 sieve? No Yes and Soil Soaked for _____ hrs.

MASS OF TEST SPECIMEN (g)					Water Content		
Min. sieve size in sieving sequence (1)	Total Test Specimen	Partial Test Specimen		Soil Retained (after washing)		As Received or	
		1st Split	2nd Split	2nd Split	+200	Container No	
Container Number	200					M-62	
Mass of Container and Dry Soil, (g)	377.41					11-62	
Mass of Container, (g)	92.01					351.95	
Dry Soil, Ws (g)	285.40					92.01	
Mass of Dry Soil from Hydrometer, Ws (g)						259.94	
							Water Content (%)

SIEVING RESULTS				
Sieve No.	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'	Req. Mass of Test Spec for 1% (kg)
3"				3" = 70
2"				1 1/2" = 10
1 1/2"				3/4" = 1.1
1"	0.00		100.0	3/8" = 0.25
3/4"	26.82		90.6	#4 = 0.1
1/2"	59.07		79.3	#10 = 0.1
3/8"	71.81		74.8	
4	86.13		69.8	
Pan		XXXXXXXXXX	XXXXXXXXXX	

Notes: (1) Sieve size given, denotes min. sieve size used in the appropriate sieving sequence
 (2) X in box denotes sieve on which split was made (3) Proposed allowable amount of soil retained on 8" sieve.

SUMMARY: Shape, Filter, & etc. Parameters

% COBBLES 1.7 D60 1.7 D85 _____
 % GRAVEL 30.2 D30 0.38 D15 _____
 % SAND 60.4 D10 0.08 D50 _____
 % FINES 9.4 Cu = 21.3 Cc = 1.1

Note: The above values D## denotes particle size (mm) at the corresponding percent passing. * Denotes sieve added to better define gradation curve

SET-UP BY: _____ DRY MASS BY: _____ WASHED BY: _____
 COARSE FRACTION: _____ CALCULATED BY: TO
 FINE FRACTION: TO _____ CHECKED BY: _____
 DATE: 8/25/97 8/26/97 8/26/97 SPOT CHECKED BY: _____
 S-104 (10/94) (SNA) REVIEWED BY: _____

PARTICLE-SIZE ANALYSIS : by Sieving using Soil Sieve Sizes & with Water Content

ASTM D 422 - 63 (1990), C 136 - 92, C 117 - 90 and D 2216 - 92

Project Number 964P170 Task Number 9005 Exploration No.: P-1
 Project Name MALIBU CREEK Assignment No. _____ Sample No.: 2
 Project Engineer EF Depth (ft): 10
 Initial Visual Description See Visual Description Form (S-103) or Brown silty sand (SM)

SPECIMEN: Tested From: Bulk Sample Thin Walled Tube
 SPT Sample Engr. Property Test
 Mod Calif. Sample Specimen's WC:
 Other _____

Selection Method:
 Sieves (1) - whole sample used
 _____ Sieves (1) - partial sample used & selected by Method(s) &
 _____ Sieves (1) - partial sample used & selected by Method(s) &
 (a) Splitter; (use for dry soils or that which will segregate)
Methods: (b) Quartering; (use for dry soils or that which will segregate)
 (c) Representative scoop after mixing, or slice of intact sample.
 (use for moist soils or that which will not segregate)

See Bulk Sample Processing Information Form (S-106)

Preparation: Oven-Dried Soil Broken Up Before:
 Sample/Specimen: Selecting partial sample: No Yes
 Oven-Dried Seiving 1st Sieve Series: No Yes
 Air Dried Seiving 2nd Sieve Series: No Yes
 As-Received State Seiving 3rd Sieve Series: No Yes

By: Mortar & Pesticide
 Pulverizer
 Hand
 Other _____

Washing: No Yes
 Whole Specimen Washed on No. 200 sieve? and Soil Soaked for _____ hrs.
 Retained Fraction: 1st Split Washed? 2nd Split Washed? No Yes
 Fine Fraction Washed on No. 200 sieve? and Soil Soaked for _____ hrs.

MASS OF TEST SPECIMEN (g)					Water Content	
Min. sieve size in sieving sequence (1)	Total Test Specimen	Partial Test Specimen		Soil Retained (after washing)		As Received or
		1st Split	2nd Split	2nd Split	+200	
Container Number	200					Container No
Mass of Container and Dry Soil, (g)	M-7				177.7	Wet, M1 (g)
Mass of Container, (g)	326.77				298.56	Dry, M2 (g)
Dry Soil, Ws (g)	91.39				91.39	Cont. M3 (g)
Mass of Dry Soil from Hydrometer, Ws (g)	235.38				207.47	Water Content (%)

SIEVING RESULTS									
See (2)	Sieve No.	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'	Req. Mass of Test Spec. for 1% (kg)	Sieve No. / (3)	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'
	3"				3" = 70				
	2"				1 1/2" = 10				
	1 1/2"				3/4" = 1.1				
	1"	0.00		100.0	3/8" = 0.25	3/8"			
	3/4"	15.79		93.3	#4 = 0.1	4 / 325			
	1/2"	15.79		93.3	#10 = 0.1	10 / 180	26.87		88.6
	3/8"	20.64		91.2		20 / 115	37.55		84.0
	4	23.42		90.1		40 / 75	82.67		64.9
	Pan		XXXXXXXXXX	XXXXXXXXXX		60 / 60	154.05		34.6
						100* / 40	188.33		20.0
						140 / 30	199.42		15.3
						200 / 20	206.25		12.4
						Pan	207.64	XXXXXXXXXX	XXXXXXXXXX

Notes: (1) Sieve size given, denotes min. sieve size used in the appropriate sieving sequence
 (2) X in box denotes sieve on which split was made (3) Proposed allowable amount of soil retained on 8" sieve.

SUMMARY: Shape, Filter, & etc. Parameters

% COBBLES _____ D60 _____ D85 _____
 % GRAVEL 9.9 D30 _____ D15 _____
 % SAND 77.7 D10 _____ D50 _____
 % FINES 12.4 Cu = _____ Cc = _____

Mica Noted: No ; Yes Amount Adjective: _____

Remarks: _____

Coefficient of Uniformity, Cu = D60 / D10 Coefficient of Curvature, Cc = D30^2 / (D60 * D10)
 * Denotes sieve added to better define gradation curve

SET-UP BY: _____ DRY MASS BY: _____ WASHED BY: _____ CALCULATED BY: TO
 COARSE FRACTION: _____ CHECKED BY: _____
 FINE FRACTION: TO TO HTT SPOT CHECKED BY: _____
 DATE: 8/25/97 8/26/97 8/26/97 REVIEWED BY: _____

S-104 (10/94) (SNA) SIEV_S_H.XLS 4/7/97 WOODWARD-CLYDE CONSULTANTS

PARTICLE-SIZE ANALYSIS : by Sieving using Soil Sieve Sizes & with Water Content

ASTM D 422 - 63 (1990), C 136 - 92, C 117 - 90 and D 2216 - 92

Project Number: 964P170 Task Number: 9005 Exploration No.: P-6
 Project Name: MALIBU CREEK Assignment No: _____ Sample No.: 3
 Project Engineer: FE Depth (ft): 10
 Initial Visual Description: See Visual Description Form (S-103) or Gray poorly-graded sand with silt (SP-SM)

SPECIMEN: Tested From: Bulk Sample Thin-Walled Tube
 SPT Sample Engr. Property Test
 Mod Calif Sample Specimen's WC
 Other _____

Selection Method:
 Sieves (1) - whole sample used (5w-5m)
 Sieves (1) - partial sample used & selected by Method(s) &
 Sieves (1) - partial sample used & selected by Method(s) &
 (a) Splitter. (use for dry soils or that which will segregate)
 (b) Quartering. (use for dry soils or that which will segregate)
 (c) Representative scoop after mixing, or slice of intact sample. (use for moist soils or that which will not segregate)

See Bulk Sample Processing Information Form (S-106)

Preparation: Oven-Dried Soil Broken Up Before:
 Sample/Specimen: Selecting partial sample: No Yes
 Oven-Dried Sieving 1st Sieve Series: No Yes
 Air Dried Sieving 2nd Sieve Series: No Yes
 As-Received State Sieving 3rd Sieve Series: No Yes

By: Mortar & Pestle
 Pulverizer
 Hand
 Other _____

Remarks: _____

Washing: Whole Specimen Washed on No. 200 sieve? No Yes and Soil Soaked for _____ hrs.
 Retained Fraction: 1st Split Washed? and Soil Soaked for _____ hrs.
 Fine Fraction Washed on No. 200 sieve? and Soil Soaked for _____ hrs.

MASS OF TEST SPECIMEN (g)					Water Content	
Min. sieve size in sieving sequence (1)	Total Test Specimen	Partial Test Specimen		Soil Retained (after washing)	As Received or	
		1st Split	2nd Split		2nd Split	+
200				200		
Container Number	M-3			M-3		Container No
Mass of Container and Dry Soil, (g)	339.35			311.71		Wet, M1 (g)
Mass of Container, (g)	90.14			90.14		Dry, M2 (g)
Dry Soil, Ws (g)	249.21			221.57		Cont. M3 (g)
Mass of Dry Soil from Hydrometer, Ws (g)						Water Content (%)

SIEVING RESULTS									
See (2)	Sieve No.	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'	Req. Mass of Test Spec. for 1% (kg)	Sieve No. / (3)	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'
	3"				3" = 70				
	2"				1 1/2" = 10				
	1 1/2"				3/4" = 1.1				
	1"	0.00		100.0	3/8" = 0.25	3/8"			
	3/4"	14.53		94.2	#4 = 0.1	4 / 325			
	1/2"	19.47		92.2	#10 = 0.1	10 / 180	64.13		74.3
	3/8"	26.64		89.3		20 / 115	98.09		60.6
	4	41.23		83.5		40 / 75	144.52		42.0
	Pan		XXXXXXXXXX	XXXXXXXXXXXX		60 / 60	183.28		26.5
						100* / 40	204.54		17.9
						140 / 30	213.14		14.5
						200 / 20	220.16		11.7
						Pan	221.88	XXXXXXXXXX	XXXXXXXXXXXX

Notes: (1) Sieve size given, denotes min. sieve size used in the appropriate sieving sequence.
 (2) X in box denotes sieve on which split was made (3) Proposed allowable amount of soil retained on 8" sieve.

SUMMARY: Shape, Filter, & etc. Parameters

% COBBLES 0.83 D60 0.83 D85 _____
 % GRAVEL 16.5 D30 0.29 D15 _____
 % SAND 71.8 D10 20.06 D50 _____
 % FINES 11.7 Cu = 13.8 Cc = 1.7

Mica Noted: No ; Yes Amount Adjective: _____

Remarks: _____
 Coefficient of Uniformity, Cu = D60 / D10 _____ Coefficient of Curvature, Cc = D30^2 / (D60 * D10) _____
 * Denotes sieve added to better define gradation curve

SET-UP BY: _____ DRY MASS BY: _____ WASHED BY: _____ CALCULATED BY: TO
 COARSE FRACTION: _____ CHECKED BY: _____
 FINE FRACTION: TO TO 1PT SPOT CHECKED BY: _____
 DATE: 8/25/97 8/26/97 8/26/97 REVIEWED BY: _____
 S-104 (10/94) (SNA) WOODWARD-CLYDE CONSULTANTS

PARTICLE-SIZE ANALYSIS : by Sieving using Soil Sieve Sizes & with Water Content

ASTM D 422 - 63 (1990), C 136 - 92, C 117 - 90 and D 2216 - 92

Project Number: 964P170 Task Number: 9005 Exploration No.: P-7
 Project Name: MALIBU CREEK Assignment No: _____ Sample No.: 1
 Project Engineer: EF Depth (ft): 5
 Initial Visual Description: See Visual Description Form (S-103) or Dark brown silty sand (sm)

SPECIMEN: Tested From: Bulk Sample Thin Walled Tube
 SPT Sample Engr Property Test
 Mod Calif Sample Specimen's WC
 Other _____

Selection Method:
 Sieves (1) - whole sample used
 _____ Sieves (1) - partial sample used & selected by Method(s) &
 _____ Sieves (1) - partial sample used & selected by Method(s) &
 (a) Splitter; (use for dry soils or that which will segregate)
Methods: (b) Quartering; (use for dry soils or that which will segregate)
 (c) Representative scoop after mixing, or slice of intact sample.
 (use for moist soils or that which will not segregate)

See Bulk Sample Processing Information Form (S-106)

Preparation: Oven-Dried Soil Broken Up Before:
 Sample/Specimen: Selecting partial sample: No Yes
 Oven-Dried Seiving 1st Sieve Series: No Yes
 Air Dried Seiving 2nd Sieve Series: No Yes
 As-Received State Seiving 3rd Sieve Series: No Yes

Washing: No Yes
 Whole Specimen Washed on No. 200 sieve? and Soil Soaked for 6 hrs.
 Retained Fraction: 1st Split Washed? 2nd Split Washed? No Yes
 Fine Fraction Washed on No. 200 sieve? and Soil Soaked for _____ hrs.

By: Mortar & Pestle
 Pulverizer
 Hand
 Other

Remarks: _____

MASS OF TEST SPECIMEN (g)					Water Content	
Min. sieve size in sieving sequence (1)	Total Test Specimen	Partial Test Specimen		Soil Retained (after washing)		As Received or
		1st Split	2nd Split	2nd Split	+200	
Container Number	FJ-10			FJ-10		Container No <u>FJ-10</u>
Mass of Container and Dry Soil, (g)	327.09			301.00		Wet, M1 (g) <u>380.94</u>
Mass of Container, (g)	111.56			115.56		Dry, M2 (g) <u>327.09</u>
Dry Soil, Ws (g)	215.53			185.44		Cont. M3 (g) <u>111.56</u>
Mass of Dry Soil from Hydrometer, Ws (g)						Water Content (%) <u>24.98</u>

SIEVING RESULTS								
Sieve No. (2)	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'	Req. Mass of Test Spec. for 1% (kg)	Sieve No. / (3)	Cum. Mass Retained (g)	% Finer than Sieve	Total Specimen % Finer N'
3"				3" = 70				
2"				1 1/2" = 10				
1 1/2"				3/4" = 1.1				
1"	0.00		100.0	3/8" = 0.25	3/8"			
3/4"	3.50		98.4	#4 = 0.1	4 / 325			
1/2"	10.24		95.2	#10 = 0.1	10 / 180	31.46		85.4
3/8"	13.23		93.9		20 / 115	56.09		74.0
4	20.23		90.6		40 / 75	109.33		49.3
Pan		XXXXXXXXXX	XXXXXXXXXX		60 / 60	156.69		27.3
					100* / 40	176.05		18.3
					140 / 30	183.33		14.9
					200 / 20	188.56		12.5
					Pan	189.72	XXXXXXXXXX	XXXXXXXXXX

Notes: (1) Sieve size given, denotes min. sieve size used in the appropriate sieving sequence.
 (2) X in box denotes sieve on which split was made (3) Proposed allowable amount of soil retained on 8" sieve.

SUMMARY: Shape, Filter, & etc. Parameters

% COBBLES _____ D60 _____ D85 _____
 % GRAVEL 9.4 D30 _____ D15 _____
 % SAND 78.1 D10 _____ D50 _____
 % FINES 12.5 Cu = _____ Cc = _____

Mica Noted: No Yes Amount Adjective: _____

Remarks: _____


Coefficient of Uniformity, Cu = D60 / D10 Coefficient of Curvature, Cc = D30^2 / (D60 * D10)
 * Denotes sieve added to better define gradation curve

SET-UP BY: _____ DRY MASS BY: _____ WASHED BY: _____ CALCULATED BY: TO
 COARSE FRACTION: _____ CHECKED BY: _____
 FINE FRACTION: TO TO HTT SPOT CHECKED BY: _____
 DATE: 8/25/97 8/26/97 8/26/97 REVIEWED BY: _____

S-104 (10/94) (SNA) SIEV_S_H.XLS 4/7/97 WOODWARD-CLYDE CONSULTANTS

APPENDIX C
SLUG TEST DATA


RISING HEAD TEST		MALIBU LAGOON INVESTIGATION	
Borehole	P-2	Date	8.31.98
Project No.	964P170	Engineer	PAS
All depths are vertical depths		Collar Elevation (ft)	9.46
Top of test section (d1) (ft)	7.17	Base of test section (ft)	13.55
Depth to SWL, Hw (ft)	7.17	Borehole rad. r (ft)	0.417
Head excess, He (ft)	2.29	Casing rad r(c) (ft)	0.167



Slope (S) =	0.01190
Hydraulic conductivity K (ft/d) =	$0.133S[(r(c))^2/L]$
K =	5.98E-01

WOODWARD-CLYDE CONSULTANTS


RISING HEAD TEST		MALIBU LAGOON INVESTIGATION	
Borehole	P-3	Date	8.31.98
Project No.	964P170	Engineer	PAS
All depths are vertical depths		Collar Elevation (ft)	9.39
Top of test section (d1) (ft)	7.07	Base of test section (ft)	14.44
Depth to SWL, Hw (ft)	7.07	Borehole rad. r (ft)	0.417
Head excess, He (ft)	2.41	Casing rad r(c) (ft)	0.167



Slope (S) =	0.01580
Hydraulic conductivity K (ft/d) =	0.133S[(r(c) ²)/L]
K =	6.87E-01

WOODWARD-CLYDE CONSULTANTS


RISING HEAD TEST		MALIBU LAGOON INVESTIGATION	
Borehole	P-4	Date	8.31.98
Project No.	964P170	Engineer	PAS
All depths are vertical depths		Collar Elevation (ft)	9.75
Top of test section (d1) (ft)	7.44	Base of test section (ft)	11.95
Depth to SWL, Hw (ft)	7.44	Borehole rad. r (ft)	0.417
Head excess, He (ft)	1.45	Casing rad r(c) (ft)	0.167



Slope (S) =	0.05710
Hydraulic conductivity K (ft/d) =	$0.133S[(r(c))^2/L]$
K =	4.06E+00

WOODWARD-CLYDE CONSULTANTS


RISING HEAD TEST		MALIBU LAGOON INVESTIGATION	
Borehole	P-5	Date	8.31.98
Project No.	964P170	Engineer	PAS
All depths are vertical depths		Collar Elevation (ft)	9.69
Top of test section (d1) (ft)	7.34	Base of test section (ft)	14.14
Depth to SWL, Hw (ft)	7.34	Borehole rad. r (ft)	0.417
Head excess, He (ft)	1.51	Casing rad r(c) (ft)	0.167



Slope (S) =	0.05950
Hydraulic conductivity K (ft/d) =	$0.133S[(r(c))^2/L]$
K =	2.80E+00

WOODWARD-CLYDE CONSULTANTS

RISING HEAD TEST		MALIBU LAGOON INVESTIGATION	
Borehole	P-6	Date	8.28.98
Project No.	964P170	Engineer	PAS
All depths are vertical depths		Collar Elevation (ft)	8.63
Top of test section (d1) (ft)	5.75	Base of test section (ft)	13.66
Depth to SWL, Hw (ft)	5.75	Borehole rad. r (ft)	0.417
Head excess, He (ft)	2.44	Casing rad r(c) (ft)	0.167



Slope (S) =	0.03010
Hydraulic conductivity K (ft/d) =	0.133S[(r(c) ²)/L]
K =	1.22E+00

WOODWARD-CLYDE CONSULTANTS

APPENDIX D
ENVIRONMENTAL LABORATORY DATA

Calscience
Environmental
Laboratories, Inc.

October 29, 1998

Paul Salter
Woodward-Clyde Consultants
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: **Calscience Work Order Number: 98-10-0664**
Client Reference: Malibu Lagoon


Dear Client:


Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/27/98 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested, and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,


Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager


William H. Christensen
Deliverables Manager

Woodward-Clyde Consultants
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Date Sampled: 10/26/98
Date Received: 10/27/98
Date Analyzed: 10/27/98

Attn: Paul Salter
RE: Malibu Lagoon

Work Order No.: 98-10-0664
Method: SM 2320B
Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Bicarbonate Concentration</u>	<u>Carbonate Concentration</u>	<u>Reporting Limit</u>
P21026-1037	472	ND	5
P31026-1057	504	ND	5
P51026-1122	560	ND	5
P41026-1305	520	ND	5

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 10/26/98
 Date Received: 10/27/98
 Date Analyzed: 10/27/98

Attn: Paul Salter
 RE: Malibu Lagoon

Work Order No.: 98-10-0664
 Method: EPA 300.0
 Page 1 of 1

All concentrations are reported in mg/L (ppm).

Sample Number: P21026-1037

Bromide	283	10.0
Chloride	212	100
Sulfate	333	100

Sample Number: P31026-1057

Bromide	3.9	0.1
Chloride	266	100
Sulfate	298	100

Sample Number: P51026-1122

Bromide	0.7	0.1
Chloride	181	100
Sulfate	242	100

Sample Number: P41026-1305


Bromide	1.6	0.1
Chloride	307	100
Sulfate	284	100

Sample Number: Method Blank

Bromide	ND	0.1
Chloride	ND	1
Sulfate	ND	1

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.



ANALYTICAL REPORT
EPA 6010B ICP Metals, TTLC

Client Name: Woodward-Clyde Consultants
Project ID: Malibu Lagoon
Work Order Number: 98-10-0664
QC Batch ID: 981028lcs2
Matrix: Aqueous
Preparation: Total Digestion
Method: EPA 6010B

Date Collected: 10/26/98
Date Received: 10/27/98
Date Prepared: 10/28/98
Date Analyzed: 10/29/98

Client Sample Number: **P21026-1037**
Lab Sample Number: 98-10-0664-1

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>Qualifiers</u>	<u>Units</u>
Calcium	134	0.100		mg/L
Magnesium	80.7	0.100		mg/L
Potassium	11.6	0.500		mg/L
Sodium	327	0.500		mg/L




ANALYTICAL REPORT
EPA 6010B ICP Metals, TTLC

Client Name: Woodward-Clyde Consultants
Project ID: Malibu Lagoon
Work Order Number: 98-10-0664
QC Batch ID: 981028lcs2
Matrix: Aqueous
Preparation: Total Digestion
Method: EPA 6010B

Date Collected: 10/26/98
Date Received: 10/27/98
Date Prepared: 10/28/98
Date Analyzed: 10/29/98

Client Sample Number: **P31026-1057**
Lab Sample Number: 98-10-0664-2

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>Qualifiers</u>	<u>Units</u>
Calcium	168	0.100		mg/L
Magnesium	133	0.100		mg/L
Potassium	15.1	0.500		mg/L
Sodium	211	0.500		mg/L




ANALYTICAL REPORT
EPA 6010B ICP Metals, TTLC

Client Name: Woodward-Clyde Consultants
Project ID: Malibu Lagoon
Work Order Number: 98-10-0664
QC Batch ID: 981028lcs2
Matrix: Aqueous
Preparation: Total Digestion
Method: EPA 6010B

Date Collected: 10/26/98
Date Received: 10/27/98
Date Prepared: 10/28/98
Date Analyzed: 10/29/98

Client Sample Number: P51026-1122
Lab Sample Number: 98-10-0664-3

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>Qualifiers</u>	<u>Units</u>
Calcium	133	0.100		mg/L
Magnesium	75.1	0.100		mg/L
Potassium	8.82	0.500		mg/L
Sodium	238	0.500		mg/L




ANALYTICAL REPORT
EPA 6010B ICP Metals, TTLC

Client Name: Woodward-Clyde Consultants
Project ID: Malibu Lagoon
Work Order Number: 98-10-0664
QC Batch ID: 981028lcs2
Matrix: Aqueous
Preparation: Total Digestion
Method: EPA 6010B

Date Collected: 10/26/98
Date Received: 10/27/98
Date Prepared: 10/28/98
Date Analyzed: 10/29/98

Client Sample Number: P41026-1305
Lab Sample Number: 98-10-0664-4

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>Qualifiers</u>	<u>Units</u>
Calcium	172	0.100		mg/L
Magnesium	86.1	0.100		mg/L
Potassium	9.11	0.500		mg/L
Sodium	223	0.500		mg/L



ANALYTICAL REPORT
EPA 6010B ICP Metals, TTLC

Client Name: Woodward-Clyde Consultants
Project ID: Malibu Lagoon
Work Order Number: 98-10-0664
QC Batch ID: 981028lcs2
Matrix: Aqueous
Preparation: Total Digestion
Method: EPA 6010B
Date Collected: N/A
Date Received: N/A
Date Prepared: 10/28/98
Date Analyzed: 10/29/98

Client Sample Number: Method Blank
Lab Sample Number: 097-01-003-588

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>Qualifiers</u>	<u>Units</u>
Calcium	ND	0.100		mg/L
Magnesium	ND	0.100		mg/L
Potassium	ND	0.500		mg/L
Sodium	ND	0.500		mg/L

QUALITY ASSURANCE SUMMARY
Method EPA 300.0


Woodward-Clyde Consultants
Page 1 of 1

Work Order No.: 98-10-0664
Date Analyzed: 10/27/98

Matrix Spike/Matrix Spike Duplicate

Sample Spiked: 98-10-0650-4

<u>Analyte</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	101	102	50 - 150	0	0 - 25
Chloride	98	98	50 - 150	0	0 - 25
Sulfate	100	100	50 - 150	0	0 - 25



Quality Control - Spike/Spike Duplicate
EPA 6010B ICP Metals, TTLC

MS/MSD Batch Number: 102898ms2
Matrix: Aqueous
Method: EPA 6010B

Instrument: ICP 2000
Date Extracted: 10/28/98
Date Analyzed: 10/29/98

Spiked Sample ID: P41026-1305

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Calcium	4X	4X	80-120	4X	0-20	Q
Magnesium	4X	4X	80-120	4X	0-20	Q
Potassium	99	96	80-120	2	0-20	
Sodium	4X	4X	80-120	4X	0-20	Q

Calscience

Environmental

Laboratories, Inc.

Quality Control - Laboratory Control Sample

EPA 6010B ICP Metals, TTLC

LCS Batch Number: 981028lcs2
Lab File ID: 981028-L
Matrix: Aqueous
Method: EPA 6010B

Instrument: ICP 2000
Date Analyzed: 10/29/98

LCS Sample Number: 097-01-003-588

<u>Parameter</u>	<u>Conc Added</u>	<u>Conc Recovered</u>	<u>%Rec</u>	<u>%Rec CL</u>	<u>Qualifiers</u>
Calcium	1.00	0.991	99	80-120	
Magnesium	1.00	1.01	101	80-120	
Potassium	10	9.86	99	80-120	
Sodium	1.00	0.983	98	80-120	

GLOSSARY OF TERMS AND QUALIFIERS

Work Order Number: 98-10-0664

<u>Qualifier</u>	<u>Definition</u>
ND	Not detected at indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the sample concentration exceeding the spike concentration by a factor of four or greater.

Calscience
Environmental
Laboratories, Inc.

December 10, 1998

Paul Salter
Woodward-Clyde Consultants
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: **Calscience Work Order Number: 98-12-0104**
 Client Reference: Malibu Lagoon/964P170-600

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/03/98 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested, and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,


Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager


William H. Christensen
Quality Assurance Manager

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 12/02/98
 Date Received: 12/03/98
 Date Analyzed: 12/04/98

Attn: Paul Salter
 RE: Malibu Lagoon/964P170-600

Work Order No.: 98-12-0104
 Method: EPA 300.0
 Page 1 of 2

All concentrations are reported in mg/L (ppm).

<u>Analyte</u>	<u>Concentration</u>	<u>Reporting Limit</u>
Sample Number: Set 23-P9-12/1-0840		
Bromide	0.6	0.1
Chloride	168	100
Sulfate	323	100
Sample Number: Set 23-P6-12/1-0915		
Chloride	1100	200
Sulfate	458	100
Sample Number: Set 34-P1-12/2-0945		
Chloride	98	25
Sulfate	537	100
Sample Number: Set 34-P7-12/2-1030		
Chloride	145	100
Sulfate	472	100

ANALYTICAL REPORT

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 12/02/98
 Date Received: 12/03/98
 Date Analyzed: 12/03-04/98

Attn: Paul Salter
 RE: Malibu Lagoon/964P170-600

Work Order No.: 98-12-0104
 Method: EPA 300.0
 Page 2 of 2

All concentrations are reported in mg/L (ppm).

Sample Number: Set 34-C1-12/2-1100

Chloride	4530	500
Sulfate	695	100

Sample Number: Set 26-P8-12/1-1326

Bromide	0.7	0.1
---------	-----	-----

Sample Number: Method Blank

Bromide	ND	0.1
Chloride	ND	1
Sulfate	ND	1

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

Woodward-Clyde Consultants
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Date Sampled: 12/02/98
Date Received: 12/03/98
Date Analyzed: 12/03/98

Attn: Paul Salter
RE: Malibu Lagoon/964P170-600

Work Order No.: 98-12-0104
Method: SM 2320B
Page 1 of 1

All concentrations are reported in mg/L (ppm).


<u>Sample Number</u>	<u>Bicarbonate Concentration</u>	<u>Reporting Limit</u>
Set 23-P9-12/1-0840	406	5
Set 23-P6-12/1-0915	1120	10
Set 34-P1-12/2-0945	282	5
Set 34-P7-12/2-1030	444	5
Set 34-C1-12/2-1100	350	5

QA/QC

<u>Sample Number</u>	<u>Sample Conc.</u>	<u>Duplicate Conc.</u>	<u>%RPD</u>	<u>Control Limits (%)</u>
Set 23-P9-12/1-0840	406	408	0	0 - 25

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.



Our Quality Control Is Your Quality Assurance

October 1, 1997

LOG NO.: G97-09-087

Woodward Clyde Consultants
Attn: Mr. Eric Fordham
2020 E. First St. 4th Floor
Santa Ana, CA 92705

Reference: Client Project #964P170, Malibu Septic Study.

Dear Mr. Fordham,

Enclosed is the analytical report for the chemical testing of samples collected in support of the above-referenced project. Samples are identified and tracked in the BCA/VOC system as log number **G97-09-087**. When making inquiries about this report, please provide the log number.

The contents of this package are based on the requirements specified in the BC Analytical, A Division of V.O.C. Analytical Laboratories, Inc. "Quality Assurance Management Plan". The case narrative addresses batch specific quality control as it pertains to this document.

If you have any questions, please do not hesitate to call me at (714) 978-0113.

Sincerely,

Patty Mata
Project Manager

Report from UCLA to Woodward-Clyde
LABs in ng/g dry soil
March 17, 1998

UCLA ID WC Sample No	OF1-1(0-3cm) 090597-OF1-1	OF2-1(0-3cm) 090597-OF2-1	OF3-1(0-3cm) 090597-OF3-1
LABs			
55-11	nd	9.92	nd
64-11	nd	21.36	nd
73-11	nd	18.97	nd
82-11	nd	15.92	nd
91-11	0.14	9.21	0.18
65-12	nd	15.83	nd
74-12	nd	16.68	nd
83-12	nd	15.17	nd
92-12	nd	11.80	nd
101-12	0.16	11.47	0.14
66/75-13	nd	7.96	1.90
84-13	nd	4.87	nd
93-13	nd	4.00	nd
102-13	nd	3.61	nd
111-13	nd	3.43	0.74
76-14	nd	2.27	nd
85-14	nd	nd	0.75
94-14	nd	1.57	nd
103-14	nd	0.83	5.45
112-14	nd	0.95	nd
121-14	0.05	1.06	0.13
Total LABS	0.35	176.88	9.29
I/E Ratio*	0	0.85	0

* $6-C_{12} + 5-C_{12}/4-C_{12} + 3-C_{12} + 2-C_{12}$

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 12/02/98
 Date Received: 12/03/98
 Date Analyzed: 12/03/98

Attn: Paul Salter
 RE: Malibu Lagoon/964P170-600

Work Order No.: 98-12-0104
 Method: SM 2320B
 Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Carbonate Concentration</u>	<u>Reporting Limit</u>
Set 23-P9-12/1-0840	ND	5
Set 23-P6-12/1-0915	ND	10
Set 34-P1-12/2-0945	ND	5
Set 34-P7-12/2-1030	ND	5
Set 34-C1-12/2-1100	ND	5

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 12/02/98
 Date Received: 12/03/98
 Date Digested: 12/02-04/98
 Date Analyzed: 12/07/98
 Work Order No.: 98-12-0104

Attn: Paul Salter
 RE: Malibu Lagoon/964P170-600

Page 1 of 2

All concentrations are reported in mg/L (ppm). Analyses for metals were conducted on a total digestion.

<u>Analyte</u>	<u>Method</u>	<u>Concentration</u>	<u>Reporting Limit</u>
Sample Number: Set 23-P9-12/1-0840			
Calcium	EPA 6010B	137	0.100
Magnesium	EPA 6010B	86.2	0.100
Potassium	EPA 6010B	8.30	0.500
Sodium	EPA 6010B	181	0.500
Sample Number: Set-23-P6-12/1-0915			
Calcium	EPA 6010B	353	0.100
Magnesium	EPA 6010B	209	0.100
Potassium	EPA 6010B	23.8	0.500
Sodium	EPA 6010B	789	0.500
Sample Number: Set 34-P1-12/2-0945			
Calcium	EPA 6010B	162	0.100
Magnesium	EPA 6010B	94.6	0.100
Potassium	EPA 6010B	5.13	0.500
Sodium	EPA 6010B	141	0.500

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 12/02/98
 Date Received: 12/03/98
 Date Digested: 12/02-04/98
 Date Analyzed: 12/07/98
 Work Order No.: 98-12-0104

Attn: Paul Salter
 RE: Malibu Lagoon/964P170-600

Page 2 of 2

All concentrations are reported in mg/L (ppm). Analyses for metals were conducted on a total digestion.

<u>Analyte</u>	<u>Method</u>	<u>Concentration</u>	<u>Reporting Limit</u>
Sample Number: Set 34-P7-12/2-1030			
Calcium	EPA 6010B	129	0.100
Magnesium	EPA 6010B	91.1	0.100
Potassium	EPA 6010B	12.1	0.500
Sodium	EPA 6010B	223	0.500
Sample Number: Set 34-C1-12/2-1100			
Calcium	EPA 6010B	188	0.100
Magnesium	EPA 6010B	379	0.100
Potassium	EPA 6010B	129	0.500
Sodium	EPA 6010B	2600	5.00
Sample Number: Method Blank			
Calcium	EPA 6010B	ND	0.100
Magnesium	EPA 6010B	ND	0.100
Potassium	EPA 6010B	ND	0.500
Sodium	EPA 6010B	ND	0.500

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

QUALITY ASSURANCE SUMMARY
 EPA 300.0

Woodward-Clyde Consultants
 Page 1 of 1

Work Order No.: 98-12-0104
 Date Analyzed: 12/03/98

Matrix Spike/Matrix Spike Duplicate

Sample Spiked: Set23-P9-12/1-0840

<u>Analyte</u>	<u>Method</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	EPA 300.0	93	94	50 - 150	1	0 - 25
Chloride	EPA 300.0	104	104	50 - 150	0	0 - 25
Sulfate	EPA 300.0	102	102	50 - 150	0	0 - 25

Laboratory Control Sample

<u>Analyte</u>	<u>Conc. Added</u>	<u>Conc. Rec.</u>	<u>%REC</u>	<u>Control Limits</u>
Bromide	2.00	1.92	96	80 - 120
Chloride	4.00	3.77	94	80 - 120
Sulfate	4.00	4.00	100	80 - 120

QUALITY ASSURANCE SUMMARY
 ICP / GF Metals (Solids)

Woodward-Clyde Consultants
 Page 1 of 1

Work Order No.: 98-12-0104
 Date Analyzed: 12/07/98

Matrix Spike/Matrix Spike Duplicate

Sample Spiked: 98-12-0081-1

<u>Analyte</u>	<u>Method</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Calcium	EPA 6010B	4X	4X	80 - 120	4X	0 - 20
Magnesium	EPA 6010B	4X	4X	80 - 120	4X	0 - 20
Potassium	EPA 6010B	91	109	80 - 120	14	0 - 20
Sodium	EPA 6010B	4X	4X	80 - 120	4X	0 - 20

Laboratory Control Sample

<u>Analyte</u>	<u>Method</u>	<u>Conc. Added</u>	<u>Conc. Rec.</u>	<u>%REC</u>	<u>Control Limits</u>
Calcium	EPA 6010B	1.00	0.960	96	80 - 120
Magnesium	EPA 6010B	1.00	0.962	96	80 - 120
Potassium	EPA 6010B	10.0	9.47	95	80 - 120
Sodium	EPA 6010B	1.00	0.938	94	80 - 120

4X: Spike recovery and RPD control limits do not apply resulting from the sample concentration exceeding the spike concentration by a factor of four or greater.

104

Woodward-Clyde Consultants

SHIPMENT NO.: _____

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

PROJECT NAME: MALIBU LAGOON

DATE 12/2/98

PROJECT NO.: 964 P170-600

Sample Number	Location	Type of Sample		Type of Container	Type of Preservation		Analysis Required*
		Material	Method		Temp	Chemical	
JET 23-P9-12/1-0846	P9	GW	BAIL	1L GLASS	4°C	—	TO BE ADVISED
JET 23-P6-12/1-0815	P6						TO BE ADVISED
JET 23-P8-12/1-0845	P8						TO BE ADVISED
JET 34-P1-12/2-0845	P1						TO BE ADVISED
JET 34-P7-12/2-0860	P7						TO BE ADVISED
JET 34-C1-12/2-0800	C1	↓	↓	↓	↓	↓	TO BE ADVISED
JET 26-P8-12/1-0826	P8	GW	PUMP	50 ML PLASTIC	4°C	5 DROPS SOY BROTH	↓ PAS P9, P6, P8, P1, P7, C1 ANALYSIS FOR GENERAL MINERALS (Na, K, Ca, Mg, Carbonate, Bicarbonate, Cl, SO ₄) (5 SAMPLES) PAS 12/2 P8, P9 ADDITIONAL ANALYSIS FOR BROMINE TO ≤ 0.1 mg/L DETECTION LIMIT. (2 SAMPLES)

Total Number of Samples Shipped: 6

Sampler's Signature: Paul Sutter

Relinquished By:
 Signature: Paul Sutter
 Printed Name: PAUL SUTTER
 Company: URS GREINER WOODWARD CLYDE
 Reason: SHIPMENT

Received By:
 Signature: [Signature]
 Printed Name: S. NOWAK
 Company: CEL

Date: 12/3/98
 Time: 1:00

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: 1/1
 Time: _____

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: 1/1
 Time: _____

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: 1/1
 Time: _____

Special Shipment / Handling / Storage Requirements:

Mary-Corral, I am awaiting confirmation of analyses. I will fax instructions ASAP.

* Note - This does not constitute authorization to proceed with analysis

Paul Sutter

UNIVERSITY OF CALIFORNIA, LOS ANGELES

UCLA

BERKELEY • DAVIS • IRVINE • LOS ANGELES • RIVERSIDE • SAN DIEGO • SAN FRANCISCO

SANTA BARBARA • SANTA CRUZ



INSTITUTE OF GEOPHYSICS AND PLANETARY PHYSICS
3845 SLICHTER HALL
BOX 951567
LOS ANGELES, CALIFORNIA 90095-1567
FAX: (310) 206-3051

April 8, 19978

Ph: 310-206-2561

Dr. Eric Fordham
Woodward-Clyde Consultants
2020 E. First Street Suite 400
Santa Ana, CA 92705

FAX 714-667-7147

Re: Analysis of sterols and linear alkylbenzenes in sediments and water from Malibu Lagoon and vicinity

Dear Eric:

Enclosed below are the data of sterols and linear alkylbenzenes in the 0-3 cm section from the three sediment cores you had provided from Malibu Lagoon and vicinity (two Tables). As I had explained to you earlier, I had to wait for the GC/MS analysis of some samples for confirmation of the identification of the compounds and hence this delay. The original tables and the chain of custody record sheet are being mailed to you.

I believe an invoice for the service has already been sent to you from UCLA. Thanks for giving me this opportunity to work with a prestigious organization like yours. Please do not hesitate to call me if you ever need such services from my laboratory. I can be reached at the above ph. no. should you have any questions regarding the data. With best wishes,

Sincerely,

M. I. Venkatesan

M. I. Venkatesan
Research Geochemist

MIV/EF
Enclosures (Tables)

Report from UCLA to Woodward Clyde
 Sterols in microgram/g dry soil*
 March 17, 1998

UCLA ID	OF1-1(0-3cm)	OF1-1(0-3cm)(R)**	OF2-1(0-3cm)	OF3-1(0-3cm)
WC Sample No	090597-OF1-1	090597-OF1-1	090597-OF2-1	090597-OF3-1
Sterols				
Coprostanol	0.22	0.28	0.4	0.24
Epicoprostanol	Tr	Tr	0.18	0.15
Coprostanone	nd	nd	nd	nd
Cholesterol	0.22	0.25	0.76	1.11
Cholestanol	nd	0.07	0.44	0.32
Campesterol	0.75	1.08	0.83	0.14
β -Sitosterol	5.41	5.87	5.23	7.62
5 α -Androstanol(sur)				
% Recovered	83.45	81.47	73.6	94.9

*Data not corrected for surrogate recovery

** Replicate analysis by gas chromatography

Tr-Trace amounts

nd- Not detected

LOG NO.: G97-09-087

CASE NARRATIVE

The following narrative addresses all project specific data quality objectives with respect to: holding times, method blanks, lab control standards, matrix spike and duplicate samples. Analytical anomalies encountered during sample analysis are also discussed as necessary.

Sample receipt:

Samples were received under COC at VOC's Glendale lab on 9/5/97. All containers were received intact and properly preserved.

All analyses were performed by DFL Labs in Modesto, CA. The method referenced for Coliform refers to the FDA Biological Analytical Manual.

No anomalies were encountered during the analysis of the project.

ACRONYMS AND FLAG DEFINITIONS


Flag Definitions:

- * Replicate values. Used when replicate results are entered into the MS/MSD column of the QC report.
- B Blank contamination. Used when associated method blank concentration is greater than the PQL.
- J Estimated value. Used for sample results greater than or equal to MDL, but less than the PQL.
- NC Not calculated. Used when sample result is greater than two times the spike amount added, or when extracted surrogates were diluted below detectable levels.
- Q Quality objectives were not met. Used for Method Blank, Laboratory Control Samples, Matrix Spikes, Matrix Duplicates and Surrogates.

Acronyms:

COC	Chain of Custody
FLG	Flag
LC	Actual LCS/LCSD concentration recovered
LCL	Lower Control Limit
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LT	True LCS/LCSD concentration
MB	Method Blank
MS	Matrix Spike
MSD	Matrix Spike Duplicate
R1	Unspiked sample concentration
RDL	Reporting Detection Limit
%REC	Percent Recovery
Rep.	Surrogate Reported value
RPD	Relative Percent Difference
S1	Actual MS concentration
S2	Actual MSD concentration
T	True concentration of MS/MSD
Theo.	Surrogate Theoretical value
UCL	Upper Control Limit

ANALYTICAL REPORT



Our Quality Control Is Your Quality Assurance

LOG NO: 697-09-087

Received: 05 SEP 97

Mailed: OCT 04 1997


Mr. Eric Fordham
Woodward-Clyde Consultants
2020 E. First St. 4th Floor
Santa Ana, CA 92705

Project: 964P170/MALIBU

REPORT OF ANALYTICAL RESULTS

Page 1

LOG NO	09-087-1	09-087-2	09-087-3
DATE SAMPLED	05 SEP 97	05 SEP 97	05 SEP 97
SAMPLE DESCRIPTION	090597-0F1-2	090597-0F2-2	090597-0F3-2
NON-AQUEOUS			
Enterococcus (SM9230), MPN/G	43	430	230
Fecal Coliform (FDA BAM), /G	<10	<10	<10
Total Coliform (FDA BAM), /G	160	2800	11000



Our Quality Control Is Your Quality Assurance

LOG NO: G97-09-087

Received: 05 SEP 97


Mr. Eric Fordham
Woodward-Clyde Consultants
2020 E. First St. 4th Floor
Santa Ana, CA 92705

Project: 964P170/MALIBU

REPORT OF ANALYTICAL RESULTS

Page 2

LOG NO	09-087-4
DATE SAMPLED	05 SEP 97
SAMPLE DESCRIPTION	090597-0F3-3
AQUEOUS	
Enterococcus (FDA BAM), MPN/0.1L	>1600
Fecal Coliform (908C), MPN/0.1L	>1600
Total Coliform (908A), MPN/0.1L	>1600


Greta Galoustian, Laboratory Director


The analytical results within this report relate only to the specific compounds and samples investigated and may not necessarily reflect other apparently similar material from the same or a similar location.

This report shall not be reproduced, except in full, without the written approval of VOC. No use of this report for promotional or advertising purposes is permitted without prior written VOC approval.

SAMPLES...	SAMPLE DESCRIPTION..	DETERM.....	DATE.....	METHOD.....	EQUIP. BATCH..	ID.NO
9709087*1	090597-0F1-2	ENTEROCOCCUS COLI,F	09.06.97	SM9230		
		COLI,T	09.06.97	FDA BAM		
9709087*2	090597-0F2-2	ENTEROCOCCUS	09.06.97	FDA BAM		
		COLI,F	09.06.97	SM9230		
		COLI,T	09.09.97	FDA BAM		
9709087*3	090597-0F3-2	ENTEROCOCCUS	09.06.97	FDA BAM		
		COLI,F	09.06.97	SM9230		
		COLI,T	09.06.97	FDA BAM		
9709087*4	090597-0F3-3	ENTEROCOCCUS	09.06.97	FDA BAM		
		COLI,F	09.06.97	908C		
		COLI,T	09.06.97	908A		

Notes: Equipment = VOC Analytical identification number for a particular piece of analytical equipment.

ID.NO = VOC Analytical employee identification number of analyst.



Our Quality Control Is Your Quality Assurance

October 1, 1997

LOG NO.: G97-08-582

Woodward Clyde Consultants
Attn: Mr. Eric Fordham
2020 E. First St. 4th Floor
Santa Ana, CA 92705

Reference: Client Project #964P170, Malibu Septic Study

Dear Mr. Fordham,

Enclosed is the analytical report for the chemical testing of samples collected in support of the above-referenced project. Samples are identified and tracked in the BCA/VOC system as log number **G97-08-582**. When making inquiries about this report, please provide the log number.

The contents of this package are based on the requirements specified in the BC Analytical, A Division of V.O.C. Analytical Laboratories, Inc. "Quality Assurance Management Plan". The case narrative addresses batch specific quality control as it pertains to this document.

If you have any questions, please do not hesitate to call me at (714) 978-0113.

Sincerely,

Patty Mata
Project Manager

LOG NO.: G97-08-582

CASE NARRATIVE

The following narrative addresses all project specific data quality objectives with respect to: holding times, method blanks, lab control standards, matrix spike and duplicate samples. Analytical anomalies encountered during sample analysis are also discussed as necessary.

Sample receipt:

Samples were received under COC at VOC's Glendale lab on 8/29/97. All containers were received intact and properly preserved.

Coliform and Enterococcus analyses were performed by DFL Labs, a subcontractor to VOC Analytical.

No anomalies were encountered during the analysis of the project.

ACRONYMS AND FLAG DEFINITIONS


Flag Definitions:

- * Replicate values. Used when replicate results are entered into the MS/MSD column of the QC report.
- B Blank contamination. Used when associated method blank concentration is greater than the PQL.
- J Estimated value. Used for sample results greater than or equal to MDL, but less than the PQL.
- NC Not calculated. Used when sample result is greater than two times the spike amount added, or when extracted surrogates were diluted below detectable levels.
- Q Quality objectives were not met. Used for Method Blank, Laboratory Control Samples, Matrix Spikes, Matrix Duplicates and Surrogates.

Acronyms:

COC	Chain of Custody
FLG	Flag
LC	Actual LCS/LCSD concentration recovered
LCL	Lower Control Limit
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LT	True LCS/LCSD concentration
MB	Method Blank
MS	Matrix Spike
MSD	Matrix Spike Duplicate
R1	Unspiked sample concentration
RDL	Reporting Detection Limit
%REC	Percent Recovery
Rep.	Surrogate Reported value
RPD	Relative Percent Difference
S1	Actual MS concentration
S2	Actual MSD concentration
SUB	Subcontracted Analysis
T	True concentration of MS/MSD
Theo.	Surrogate Theoretical value
UCL	Upper Control Limit

ANALYTICAL REPORT



Our Quality Control Is Your Quality Assurance

LOG NO: G97-08-582

Received: 29 AUG 97

Mailed: OCT 4 1997

Mr. Eric Fordham
Woodward-Clyde Consultants
2020 E. First St. 4th Floor
Santa Ana, CA 92705

Project: 964P170/MALIBU

REPORT OF ANALYTICAL RESULTS

Page 1

LOG NO	08-582-1	08-582-2	08-582-3
DATE SAMPLED	29 AUG 97	29 AUG 97	29 AUG 97
SAMPLE DESCRIPTION	082997-P1	082997-P6	082997-P7
AQUEOUS			
Enterococcus (FDA BAM), MPN/0.1L	2	<2	8
Fecal Coliform (908C), MPN/0.1L	23	80	>1600
Total Coliform (908A), MPN/0.1L	130	80	>1600

LOG NO: G97-08-582

Received: 29 AUG 97


Mr. Eric Fordham
Woodward-Clyde Consultants
2020 E. First St. 4th Floor
Santa Ana, CA 92705

Project: 964P170/MALIBU

REPORT OF ANALYTICAL RESULTS

Page 2

LOG NO	08-582-4	08-582-5
DATE SAMPLED	29 AUG 97	29 AUG 97
SAMPLE DESCRIPTION	082997-C1	082997-C2
AQUEOUS		
Enterococcus (FDA BAM), MPN/0.1L	900	4
Fecal Coliform (908C), MPN/0.1L	1600	80
Total Coliform (908A), MPN/0.1L	1600	130


Greta Galoustian, Laboratory Director

The analytical results within this report relate only to the specific compounds and samples investigated and may not necessarily reflect other apparently similar material from the same or a similar location.

This report shall not be reproduced, except in full, without the written approval of VOC. No use of this report for promotional or advertising purposes is permitted without prior written VOC approval.

=====

SAMPLES...	SAMPLE DESCRIPTION..	DETERM.....	DATE.....	METHOD.....	EQUIP. BATCH..	ID.NO
			ANALYZED			
9708582*1	082997-P1	ENTEROCOCCUS	08.30.97	FDA BAM		
		COLI,F	08.30.97	908C		
		COLI,T	08.30.97	908A		
9708582*2	082997-P6	ENTEROCOCCUS	08.30.97	FDA BAM		
		COLI,F	08.30.97	908C		
		COLI,T	08.30.97	908A		
9708582*3	082997-P7	ENTEROCOCCUS	08.30.97	FDA BAM		
		COLI,F	08.30.97	908C		
		COLI,T	08.30.97	908A		
9708582*4	082997-C1	ENTEROCOCCUS	08.30.97	FDA BAM		
		COLI,F	08.30.97	908C		
		COLI,T	08.30.97	908A		
9708582*5	082997-C2	ENTEROCOCCUS	08.30.97	FDA BAM		
		COLI,F	08.30.97	908C		
		COLI,T	08.30.97	908A		

Notes: Equipment = VOC Analytical identification number for a particular piece of analytical equipment.

ID.NO = VOC Analytical employee identification number of analyst.

Author: ssheehan@ucla.edu at Internet
Date: 10/9/98 11:49 AM
Priority: Normal
BCC: ESFORDH0 at WC-LA_METRO
TO: esfordh0@wcc.com at INTERNET
Subject: Re: Re[2]: well sampling ofr indira

----- Message Contents -----

eric-

i am wondering if you got my phone message a couple weeks ago. two things from there. one, i wanted to pick you brain sometime soon regarding future sampling of the wells and where they are/will be located.

two, i can give you results from my sampling and here they are:

first set oct 28, 1997 (in mg/L)

	nitrate/N	total N	total P
p7:	0.18	3.58	nd
c2:	0.15	2.15	nd
c1:	0.11	7.18	nd
p1:	9.37	11.87	nd
p6:	0.25	5.35	nd

second set nov 5, 1997

p1:	6.08	8.08	nd
c2:	0.53	2.33	0.77
p7:	0.27	1.57	0.22
c1:	nd	9.2	nd
p6:	nd	5.1	nd

Calscience
Environmental
Laboratories, Inc.

September 23, 1998

Paul Salter
Woodward-Clyde Consultants
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: **Calscience Work Order Number: 98-09-0502**
Client Reference: **Malibu Lagoon Investigation/ 964P170**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 09/17/98 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested, and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,


Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager


William H. Christensen
Deliverables Manager

Woodward-Clyde Consultants
 2020 East 1st Street, Suite 400
 Santa Ana, CA 92705

Date Sampled: 09/17/98
 Date Received: 09/17/98
 Date Analyzed: 09/18/98

Attn: Paul Salter
 RE: Malibu Lagoon Investigation/ 964P170

Work Order No.: 98-09-0502
 Method: EPA 300.0
 Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Bromide Concentration</u>	<u>Reporting Limit</u>
P2916-1015	0.5	0.1
P2916-1731	229	5.0
P2916-2131	11.0	1.0
P4916-1035	0.4	0.1
P4916-1231	0.4	0.1
P4916-1331	0.6	0.1
P4916-1531	4.4	0.1
P4916-1731	8.2	1.0
P4916-1931	10.7	1.0
P4916-2131	816	50
P2917-0638	580	50
P4917-0644	18.5	1.0
Method Blank	ND	0.1

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

QUALITY ASSURANCE SUMMARY
Method EPA 300.0

Woodward-Clyde Consultants
Page 1 of 1

Work Order No.: 98-09-0502
Date Analyzed: 09/18/98

Matrix Spike/Matrix Spike Duplicate

Sample Spiked: P2916-1015

<u>Analyte</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	96	96	50 - 150	0	0 - 25

582

CHAIN OF CUSTODY RECORD

PROJECT NAME: MALIBU LAGOON INVESTIGATION DATE 9/17/98

PROJECT NO.: 964 P170

Sample Number	Location	Type of Sample		Type of Container	Type of Preservation		Analysis Required *
		Material	Method		Temp	Chemical	
P2916-1015	P2	WATER	BAIL	PLASTIC BOTTLE	4°C	-	BROMIDE TO
P2916-1731	P2		BAIL				S 0.1 mg/L
P2916-2131	P2		BAIL				DETECTION LIMIT
P4916-1035	P4		BAIL				
P4916-1231	P4		PUMP				
P4916-1331	P4		PUMP				
P4916-1531	P4		PUMP				
P4916-1731	P4		PUMP				
P4916-1931	P4		PUMP				
P4916-2131	P4		PUMP				
P2917-0638	P2		BAIL				
P4917-0644	P4		PUMP				

Total Number of Samples Shipped: 12 Sampler's Signature: Paul Satter

Relinquished By: Paul Satter
 Signature: *Paul Satter*
 Printed Name: PAUL SATTER
 Company: WCC
 Reason: DELIVERY TO LABORATORY

Received By: *Virender Patel*
 Signature: *Virender Patel*
 Printed Name: VIRENDER PATEL
 Company: C.S.L.

Date: 9/17/98
 Time: 12:05pm

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: / /
 Time: _____

Relinquished By:
 Signature: _____
 Printed Name: _____
 Company: _____
 Reason: _____

Received By:
 Signature: _____
 Printed Name: _____
 Company: _____

Date: / /
 Time: _____

Relinquished By: *Virender R. Patel*
 Signature: *Virender R. Patel*
 Printed Name: VIRENDER R. PATEL
 Company: CALSCLMENCE
 Reason: _____

Received By: *Steph Z...*
 Signature: *Steph Z...*
 Printed Name: _____
 Company: _____

Date: 9/17/98
 Time: 1715

Special Shipment / Handling / Storage Requirements:
 PLEASE RETAIN SAMPLES UNTIL FURTHER INSTRUCTION FOLLOWING ANALYSIS.
 * Note - This does not constitute authorization to proceed with analysis

Calscience
Environmental
Laboratories, Inc.

March 09, 1999

Paul Salter
URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: **Calscience Work Order No.:** 99-03-0227
Client Reference: Malibu/57-0964P17000-00700


Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 03/05/99 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,



Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager



William H. Christensen
Quality Assurance Manager

ANALYTICAL REPORT

URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Date Sampled: 03/05/99
Date Received: 03/05/99
Date Analyzed: 03/09/99

Attn: Paul Salter
RE: Malibu/57-0964P17000-00700

Work Order No.: 99-03-0227
Method: EPA 300.0
Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Bromide Concentration</u>	<u>Reporting Limit</u>
P435-0853	0.27	0.05
P235-0933	0.61	0.05
Method Blank	ND	0.05

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

QUALITY ASSURANCE SUMMARY
 Method EPA 300.0

URS Greiner Woodward Clyde
 Page 1 of 1

Work Order No.: 99-03-0227
 Date Analyzed: 03/09/99

Matrix Spike/Matrix Spike Duplicate
 Sample Spiked: 99-03-0244-1

<u>Analyte</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	94	95	50 - 150	1	0 - 25

Laboratory Control Sample

<u>Analyte</u>	<u>Conc. Added</u>	<u>Conc. Rec.</u>	<u>%REC</u>	<u>Control Limits</u>
Bromide	2.00	1.93	96	80 - 120

Calscience
Environmental
Laboratories, Inc.

March 19, 1999

Paul Salter
URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: **Calscience Work Order No.: 99-03-0567**
Client Reference: **Malibu / 964P170-600**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 03/18/99 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,


Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager


William H. Christensen
Quality Assurance Manager

URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Date Sampled: 03/17/99
Date Received: 03/18/99
Date Analyzed: 03/18/99

Attn: Paul Salter
RE: Malibu / 964P170-7000

Work Order No.: 99-03-0567
Method: EPA 300.0
Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Bromide Concentration</u>	<u>Reporting Limit</u>
P2-317-1417	0.35	0.05
Method Blank	ND	0.05

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

QUALITY ASSURANCE SUMMARY

IC - EPA 300.0 (Aqueous)

URS Greiner Woodward Clyde
Page 1 of 1

Work Order No.: 99-03-0567
Date Analyzed: 03/18/99

Matrix Spike/Matrix Spike Duplicate

Sample Spiked:

<u>Analyte</u>	<u>Method</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	EPA 300.0	95	95	50 - 130	0	0 - 25

Calscience
Environmental
Laboratories, Inc.

March 23, 1999

Paul Salter
URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: **Calscience Work Order No.: 99-03-0686**
Client Reference: **Malibu Lagoon/964P170-0700**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 03/22/99 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,


Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager


William H. Christensen
Quality Assurance Manager

URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Date Sampled: 03/19/99
Date Received: 03/22/99
Date Analyzed: 03/22/99

Attn: Paul Salter
RE: Malibu Lagoon/964P170-0700

Work Order No.: 99-03-0686
Method: EPA 300.0
Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Bromide Concentration</u>	<u>Reporting Limit</u>
P2-319-1830	0.56	0.05
Method Blank	ND	0.05

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

QUALITY ASSURANCE SUMMARY
 Method EPA 300.0

URS Greiner Woodward Clyde
 Page 1 of 1

Work Order No.: 99-03-0686
 Date Analyzed: 03/22/99

Matrix Spike/Matrix Spike Duplicate

Sample Spiked: 99-03-0680-1

<u>Analyte</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	94	94	50 - 150	0	0 - 25

Laboratory Control Sample

<u>Analyte</u>	<u>Conc. Added</u>	<u>Conc. Rec.</u>	<u>%REC</u>	<u>Control Limits</u>
Bromide	2.00	1.95	98	80 - 120

Calscience
Environmental
Laboratories, Inc.

April 29, 1999

Paul Salter
URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Subject: Calscience Work Order No.: 99-04-0759
Client Reference: Malibu Creek Septic Testing

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 04/23/99 and analyzed in accordance with the attached chain-of-custody.

The results in this analytical report are limited to the samples tested and any reproduction of this report must be made in its entirety.

If you have any questions regarding this report, require sampling supplies or field services, or information on our analytical services, please feel free to call me at (714) 895-5494.

Sincerely,


Calscience Environmental
Laboratories, Inc.
Marycarol Valenzuela
Project Manager


William H. Christensen
Quality Assurance Manager

ANALYTICAL REPORT

URS Greiner Woodward Clyde
2020 East 1st Street, Suite 400
Santa Ana, CA 92705

Date Sampled: 04/23/99
Date Received: 04/23/99
Date Analyzed: 04/27/99

Attn: Paul Salter
RE: Malibu Creek Septic Testing

Work Order No.: 99-04-0759
Method: 300.0
Page 1 of 1

All concentrations are reported in mg/L (ppm).

<u>Sample Number</u>	<u>Bromide Concentration</u>	<u>Reporting Limit</u>
P2-1	10.3	1.0
Method Blank	ND	0.1

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

QUALITY ASSURANCE SUMMARY
Method EPA 300.0

URS Greiner Woodward Clyde
Page 1 of 1

Work Order No.: 99-04-0759
Date Analyzed: 04/27/99

Matrix Spike/Matrix Spike Duplicate

Sample Spiked: P2-1

<u>Analyte</u>	<u>MS%REC</u>	<u>MSD%REC</u>	<u>Control Limits</u>	<u>%RPD</u>	<u>Control Limits</u>
Bromide	95	96	50 - 130	0	0 - 25

Laboratory Control Sample

<u>Analyte</u>	<u>Conc. Added</u>	<u>Conc. Rec.</u>	<u>%REC</u>	<u>Control Limits</u>
Bromide	2.00	1.91	96	80 - 120

**MALIBU TRACER STUDY
MS-2 AND PRD-1**

DATE	HOUR	SET	P2	P3	P4	P5
10/26	0	1	NS	0	0	0
10/26	5:30 P.M.	2	NS	21	0	2
10/26	6:30 P.M.	3	NS	33	1	2
10/26	8:30 P.M.	4	NS	20	7	3
10/27	1:00 A.M.	5	NS	NS	200	NS
10/27	5:00 A.M.	6	NS	NS	3.00X10 ³	NS
10/27	9:30 A.M.	7	2.70X10 ⁸	512	3.20x10 ⁴	328
10/27	10:10 A.M.	8	NS	NS	1.90x10 ⁴	NS
10/27	11:00 A.M.	9	NS	NS	4.90x10 ⁴	NS
10/27	11:30 A.M.	10	1.09x10 ⁸	289	4.20x10 ⁴	42
10/27	1:00 P.M.	11	NS	NS	2.30x10 ⁴	NS
10/27	1:30 P.M.	12	2.56x10 ⁸	378	7.10x10 ⁴	476
10/27	3:00 P.M.	13	NS	NS	8.20x10 ⁴	NS
10/27	8:00 P.M.	14	3.20x10 ⁷	416	8.20x10 ⁴	67
10/28	9:25 P.M.	15	1.28x10 ⁷	2.00x10 ³	5.20x10 ⁴	94
10/29	2:40 P.M.	16	2.48x10 ⁷	1.00x10 ³	3.50x10 ⁴	200
11/02	2:12 P.M.	17	3.70x10 ⁶	352	416	124

NO PRD-1 IN ANY OF THE SAMPLES. BACKGROUND SAMPLES WERE COLLECTED FOR ALL WELLS(ALL NEGATIVE)

**MALIBU TRACER STUDY
MS-2 AND PRD-1**

DATE	HOUR	SET	P2	P3	P4	P5
11/6	N/A	18	2.73×10^5	0	98	1.5
11/9	3:59 P.M.	19	1.55×10^5	1.85×10^4	6	0
11/12	10:50 A.M.	20	3.00×10^4	0	0	0
11/16	9:45 A.M.	21	3.00×10^4	0	7	0
11/19	11:10 A.M.	22	5.20×10^3	0	3	1

P8 (11/19, 13:45)= 0
P9 (11/19, 14:50)= 0

No PRD was found in any of the samples.

To: Eric Fordham
714-667-7147

From: Jaime Naranjo
520-626-4849

*To: Paul Salter
Eric Fordham*

MALIBU TRACER STUDY
SAMPLES FROM 12/02/98
RESULTS ARE GIVEN AS PLAQUE FORMING UNIT PER ML

SAMPLE No.	MS-2	PRD-1
SET 23-P9-12/1/-0840	0	N/A
SET 23-P6-12/1-0915	0	N/A
SET 23-P8-12/1-0945	0	N/A
SET 23-P3-12/1-1005	0	0
SET 23-P5-12/1-1012	0	0
SET 23 P4-12/1-1022	0	0
SET 23-P2-12/1-1030	0	0
SET 25-P8-12/1-1226	0	N/A
SET 30-P8-12/1-1726	0	N/A
SET 33-P8-12/1-2026	0	N/A

TO: Eric Fordham
Paul Salter
Fax: 714-667-7147

FROM: Jaime Naranjo
520-626-4849